

Transit traverse survey
经纬仪导线计算

线号

羊八井工区

第 1 页

Yang Ba Jing Work Area

座标换标经纬度

| | | |
|-------|-------|-------|
| T1B6 | T1B7 | T1B8 |
| LINEC | LINED | LINEE |

备注:

经纬度单位是六十进制(度分秒)

Note:

The conversion of ~~the~~ ^{units} of the longitude and latitude is based on the sexagesimal system

T1B 7

装

订

线

经纬仪导线计算

第 页

线号 _____

第 3 页

| | | |
|-------|--------|--|
| | | |
| <hr/> | | |
| | LINE D | |
| | TIB 7 | |

经纬仪导线计算

OK

1

PN: D100025
L1= 93
L2= 0
X1= 3305794.81
Y1=16253887.72
B= 29.5044657
L= 90.27131391

PN: 104525
L1= 93
L2= 0
X1= 3310249.65
Y1=16254089.63
B= 29.53093327
L= 90.27169834

PN: 112100
L1= 93
L2= 0
X1= 3317364.61
Y1=16251735.13
B= 29.56584628
L= 90.25433935

PN: 100525
L1= 93
L2= 0
X1= 3306279.05
Y1=16253763.19
B= 29.51002781
L= 90.27081055

PN: 105000
L1= 93
L2= 0
X1= 3310723.14
Y1=16254051.82
B= 29.53246672
L= 90.27151851

PN: 112500
L1= 93
L2= 0
X1= 3317761.91
Y1=16251688.31
B= 29.57113161
L= 90.25413151

PN: 101450
L1= 93
L2= 0
X1= 3307203.33
Y1=16253726.7
B= 29.51302387
L= 90.27059853

PN: 106550
L1= 93
L2= 0
X1= 3312254.55
Y1=16253811.22
B= 29.54141781
L= 90.27049619

PN: 112950
L1= 93
L2= 0
X1= 3318211.4
Y1=16251665.74
B= 29.57258822
L= 90.25400985

PN: 102350
L1= 93
L2= 0
X1= 3308103.01
Y1=16253750.74
B= 29.51594447
L= 90.2706138

PN: 107125
L1= 93
L2= 0
X1= 3312817.86
Y1=16253695.54
B= 29.54323704
L= 90.27001885

PN: 113825
L1= 93
L2= 0
X1= 3319066.85
Y1=16251850.19
B= 29.57537692
L= 90.2546256

PN: 102850
L1= 93
L2= 0
X1= 3308599.77
Y1=16253807.58
B= 29.52156022
L= 90.2707844

PN: 109375
L1= 93
L2= 0
X1= 3314967.05
Y1=16253028.72
B= 29.55416155
L= 90.26335738

PN: 113925
L1= 93
L2= 0
X1= 3319150.54
Y1=16251904.94
B= 29.57565242
L= 90.25482261

PN: 103800
L1= 93
L2= 0
X1= 3309538.19
Y1=16253955.48
B= 29.52461541
L= 90.27125758

PN: 110550
L1= 93
L2= 0
X1= 3316012.62
Y1=16252492.34
B= 29.56151485
L= 90.26127258

PN: 114100
L1= 93
L2= 0
X1= 3319313.96
Y1=16251967.61
B= 29.58018715
L= 90.25504247

PN: 104400
L1= 93
L2= 0
X1= 3310124.96
Y1=16254080.83
B= 29.5305281
L= 90.27167586

PN: 111325
L1= 93
L2= 0
X1= 3316699.05
Y1=16252132.4
B= 29.56371571
L= 90.2558746

PN: 115125
L1= 93
L2= 0
X1= 3320333.81
Y1=16252071.52
B= 29.58350335
L= 90.25534448

线号

PN: 115875
L1= 93
L2= 0
X1= 33210
Y1=162523
B= 29.58
L= 90.26

PN: 117000
L1= 93
L2= 0
X1= 33215
Y1=162533
B= 29.59
L= 90.26

PN: 118050
L1= 93
L2= 0
X1= 33219
Y1=162543
B= 29.59
L= 90.27

PN: 119450
L1= 93
L2= 0
X1= 33225
Y1=162556
B= 29.59
L= 90.28

PN: 120225
L1= 93
L2= 0
X1= 33230
Y1=162561
B= 30.00
L= 90.28

PN: 121575
L1= 93
L2= 0
X1= 33240
Y1=162568
B= 30.00
L= 90.28

PN: 122250
L1= 93
L2= 0
X1= 33240
Y1=162570
B= 30.00
L= 90.28

经纬仪导线计算

(2)

线号

第 4 页

PN: 115875

L1= 93

L2= 0

X1= 3321020.34

Y1= 16252373.7

B= 29.58575258

L= 90.26041325

635

PN: 122550

L1= 93

L2= 0

X1= 3324804.96

Y1= 16257657.84

B= 30.01041107

L= 90.29179648

902

PN: 125900

L1= 93

L2= 0

X1= 3327780

Y1= 16258913.53

B= 30.02415243

L= 90.30023555

1036

PN: 117000

L1= 93

L2= 0

X1= 3321580.33

Y1= 16253349.54

B= 29.59164008

L= 90.26400331

630

PN: 122925

L1= 93

L2= 0

X1= 3325179.99

Y1= 16257654.32

B= 30.01162756

L= 90.29175267

917

PN: 126325

L1= 93

L2= 0

X1= 3328046.37

Y1= 16259244.75

B= 30.0250401

L= 90.30144904

1053

PN: 118050

L1= 93

L2= 0

X1= 3321910.29

Y1= 16254346.43

B= 29.59278257

L= 90.27169128

722

PN: 123275

L1= 93

L2= 0

X1= 3325518.76

Y1= 16257742.42

B= 30.01273292

L= 90.29205341

931

PN: 127300

L1= 93

L2= 0

X1= 3329001.9

Y1= 16259439.24

B= 30.03215398

L= 90.30209661

1092

PN: 119450

L1= 93

L2= 0

X1= 3322504.31

Y1= 16255614.29

B= 29.59480093

L= 90.28036769

778

PN: 123725

L1= 93

L2= 0

X1= 3325964.93

Y1= 16257801.45

B= 30.01418467

L= 90.292237

949

PN: 127725

L1= 93

L2= 0

X1= 3329426.81

Y1= 16259450.47

B= 30.03353335

L= 90.30210392

1109

PN: 120225

L1= 93

L2= 0

X1= 3323020.36

Y1= 16256192.6

B= 30.00051661

L= 90.28248077

809

PN: 123975

L1= 93

L2= 0

X1= 3326180.89

Y1= 16257927.44

B= 30.01489428

L= 90.2926891

950

PN: 128625

L1= 93

L2= 0

X1= 3330305.06

Y1= 16259647.66

B= 30.04039669

L= 90.30276796

1145

PN: 121575

L1= 93

L2= 0

X1= 3324105.24

Y1= 16256996.31

B= 30.00409378

L= 90.28538762

863

PN: 124625

L1= 93

L2= 0

X1= 3326793.78

Y1= 16253144.19

B= 30.02089813

L= 90.29344719

985

PN: 129575

L1= 93

L2= 0

X1= 3330829.31

Y1= 16260440.02

B= 30.04215355

L= 90.30568099

1183

PN: 122250

L1= 93

L2= 0

X1= 3324544.47

Y1= 16257508.95

B= 30.00555535

L= 90.29126272

890

PN: 125675

L1= 93

L2= 0

X1= 3327561.19

Y1= 16258861

B= 30.0234388

L= 90.30005749

1027

导线计算

第 页

线号

PN: 129600

L1= 93

L2= 0

X1= 3330843.1

Y1=16260460.87

B= 30.04219975

L= 90.30575765

1184

PN: 130025

L1= 93

L2= 0

X1= 3331263.68

Y1=16260399.59

B= 30.04355995

L= 90.30549494

1201

月 日

3

PN: 130725

L1= 93

L2= 0

X1= 3331963.68

Y1=16260405.2

B= 30.04583143

L= 90.30545908

1229

PN: 131725

L1= 93

L2= 0

X1= 3332956.56

Y1=16260285.81

B= 30.05304429

L= 90.30493305

1269

计算线路略图

55

经纬仪导线计算

线号

第 页

| | | |
|--|-------|--|
| | | |
| | LINED | |
| | TIB 7 | |
| | | |

订
线

1

2. 3.

46

100400
X= 3306157.99
Y= 16253794.34
H= 4775.7

100375
X= 3306133.77
Y= 16253800.57
H= 4776.9

100350
X= 3306109.56
Y= 16253806.80
H= 4778.7

100325
X= 3306085.35
Y= 16253813.03
H= 4780.7

100300
X= 3306061.14
Y= 16253819.26
H= 4782.0

100275
X= 3306036.93
Y= 16253825.49
H= 4782.9

100250
X= 3306012.71
Y= 16253831.72
H= 4784.6

100225
X= 3305988.50
Y= 16253837.95
H= 4786.1

100200
X= 3305964.29
Y= 16253844.18
H= 4788.8

100175
X= 3305940.08
Y= 16253850.41
H= 4798.4

100150
X= 3305915.87
Y= 16253856.64
H= 4792.0

100125
X= 3305891.65
Y= 16253862.87
H= 4793.1

100100
X= 3305867.44
Y= 16253869.10
H= 4794.2

100075
X= 3305843.23
Y= 16253875.33
H= 4795.8

100050
X= 3305819.02
Y= 16253881.56
H= 4797.3

100025
X= 3305794.81
Y= 16253887.79
H= 4799.2

100800
X= 3306553.82
Y= 16253752.44
H= 4751.2

100775
X= 3306528.84
Y= 16253753.43
H= 4753.1

100750
X= 3306503.86
Y= 16253754.42
H= 4756.0

100725
X= 3306478.88
Y= 16253755.41
H= 4756.8

100700
X= 3306453.90
Y= 16253756.40
H= 4757.3

100675
X= 3306428.91
Y= 16253757.39
H= 4759.4

100650
X= 3306403.93
Y= 16253758.38
H= 4761.2

100625
X= 3306378.95
Y= 16253759.37
H= 4761.8

100600
X= 3306353.97
Y= 16253760.36
H= 4765.4

100575
X= 3306328.99
Y= 16253761.35
H= 4766.4

100550
X= 3306304.01
Y= 16253762.34
H= 4768.0

100525
X= 3306279.05
Y= 16253763.19
H= 4769.1

100500
X= 3306254.83
Y= 16253769.42
H= 4770.6

100475
X= 3306230.62
Y= 16253775.65
H= 4772.4

100450
X= 3306206.41
Y= 16253781.88
H= 4774.0

100425
X= 3306182.20
Y= 16253788.11
H= 4774.9

101200
X= 3306953.52
Y= 16253736.60
H= 4726.5

101175
X= 3306928.53
Y= 16253737.59
H= 4727.9

101150
X= 3306903.55
Y= 16253738.58
H= 4728.7

101125
X= 3306878.57
Y= 16253739.57
H= 4729.6

101100
X= 3306853.59
Y= 16253740.56
H= 4730.4

101075
X= 3306828.61
Y= 16253741.55
H= 4731.6

101050
X= 3306803.63
Y= 16253742.54
H= 4733.9

101025
X= 3306778.65
Y= 16253743.53
H= 4736.1

101000
X= 3306753.67
Y= 16253744.52
H= 4737.4

100975
X= 3306728.69
Y= 16253745.51
H= 4737.4

100950
X= 3306703.71
Y= 16253746.50
H= 4740.7

100925
X= 3306678.72
Y= 16253747.49
H= 4742.9

100900
X= 3306653.74
Y= 16253748.48
H= 4744.0

100875
X= 3306628.76
Y= 16253749.47
H= 4745.4

100850
X= 3306603.78
Y= 16253750.46
H= 4747.6

100825
X= 3306578.80
Y= 16253751.45
H= 4749.6

装

订

线

装

订

线

10

40

20

2. 3.

101600
 X= 3307353.28
 Y= 16253730.64
 H= 4701.3

101575
 X= 3307328.29
 Y= 16253729.97
 H= 4703.4

101550
 X= 3307303.30
 Y= 16253729.30
 H= 4706.1

101525
 X= 3307278.31
 Y= 16253728.63
 H= 4708.5

101500
 X= 3307253.32
 Y= 16253727.96
 H= 4710.8

101475
 X= 3307228.32
 Y= 16253727.29
 H= 4712.7

101450
 X= 3307203.33
 Y= 16253726.70
 H= 4715.1

101425
 X= 3307178.34
 Y= 16253727.69
 H= 4716.3

101400
 X= 3307153.36
 Y= 16253728.68
 H= 4714.9

101375
 X= 3307128.38
 Y= 16253729.67
 H= 4715.6

101350
 X= 3307103.40
 Y= 16253730.66
 H= 4716.3

101325
 X= 3307078.42
 Y= 16253731.65
 H= 4716.8

101300
 X= 3307053.44
 Y= 16253732.64
 H= 4718.6

101275
 X= 3307028.46
 Y= 16253733.63
 H= 4720.5

101250
 X= 3307003.48
 Y= 16253734.62
 H= 4722.8

101225
 X= 3306978.50
 Y= 16253735.61
 H= 4724.6

102000
 X= 3307753.14
 Y= 16253741.36
 H= 4690.2

101975
 X= 3307728.14
 Y= 16253740.69
 H= 4691.3

101950
 X= 3307703.15
 Y= 16253740.02
 H= 4691.9

101925
 X= 3307678.16
 Y= 16253739.35
 H= 4693.3

101900
 X= 3307653.17
 Y= 16253738.68
 H= 4695.7

101875
 X= 3307628.18
 Y= 16253738.01
 H= 4696.0

101850
 X= 3307603.19
 Y= 16253737.34
 H= 4697.4

101825
 X= 3307578.20
 Y= 16253736.67
 H= 4697.4

101800
 X= 3307553.21
 Y= 16253736.00
 H= 4697.1

101775
 X= 3307528.22
 Y= 16253735.33
 H= 4697.5

101750
 X= 3307503.23
 Y= 16253734.66
 H= 4697.0

101725
 X= 3307478.23
 Y= 16253733.99
 H= 4697.3

101700
 X= 3307453.24
 Y= 16253733.32
 H= 4697.7

101675
 X= 3307428.25
 Y= 16253732.65
 H= 4697.7

101650
 X= 3307403.26
 Y= 16253731.98
 H= 4698.7

101625
 X= 3307378.27
 Y= 16253731.31
 H= 4700.3

102400
 X= 3308152.69
 Y= 16253756.46
 H= 4680.0

102375
 X= 3308127.85
 Y= 16253753.62
 H= 4680.3

102350
 X= 3308103.01
 Y= 16253750.74
 H= 4681.2

102325
 X= 3308078.02
 Y= 16253750.07
 H= 4679.6

102300
 X= 3308053.03
 Y= 16253749.40
 H= 4680.8

102275
 X= 3308028.04
 Y= 16253748.73
 H= 4682.5

102250
 X= 3308003.05
 Y= 16253748.06
 H= 4683.7

102225
 X= 3307978.05
 Y= 16253747.39
 H= 4684.6

102200
 X= 3307953.06
 Y= 16253746.72
 H= 4686.7

102175
 X= 3307928.07
 Y= 16253746.05
 H= 4687.6

102150
 X= 3307903.08
 Y= 16253745.38
 H= 4688.7

102125
 X= 3307878.09
 Y= 16253744.71
 H= 4689.6

102100
 X= 3307853.10
 Y= 16253744.04
 H= 4689.7

102075
 X= 3307828.11
 Y= 16253743.37
 H= 4690.6

102050
 X= 3307803.12
 Y= 16253742.70
 H= 4690.7

102025
 X= 3307778.13
 Y= 16253742.03
 H= 4691.6

60

80

90

70

50

装

订

线

装

订

线

3

58

4

5

110

100

102800
X= 3308550.10
Y= 16253801.90
H= 4699.6

102775
X= 3308525.26
Y= 16253799.06
H= 4698.7

102750
X= 3308500.42
Y= 16253796.22
H= 4696.4

102725
X= 3308475.58
Y= 16253793.38
H= 4692.6

102700
X= 3308450.74
Y= 16253790.54
H= 4689.1

102675
X= 3308425.91
Y= 16253787.70
H= 4684.6

102650
X= 3308401.07
Y= 16253784.86
H= 4681.0

102625
X= 3308376.23
Y= 16253782.02
H= 4676.9

102600
X= 3308351.39
Y= 16253779.18
H= 4675.8

102575
X= 3308326.55
Y= 16253776.34
H= 4676.7

102550
X= 3308301.72
Y= 16253773.50
H= 4674.9

102525
X= 3308276.88
Y= 16253770.66
H= 4674.8

102500
X= 3308252.04
Y= 16253767.82
H= 4674.5

102475
X= 3308227.20
Y= 16253764.98
H= 4676.4

102450
X= 3308202.36
Y= 16253762.14
H= 4678.2

102425
X= 3308177.53
Y= 16253759.30
H= 4679.4

103200
X= 3308945.51
Y= 16253862.12
H= 4698.6

103175
X= 3308920.82
Y= 16253858.23
H= 4698.7

103150
X= 3308896.12
Y= 16253854.34
H= 4699.7

103125
X= 3308871.43
Y= 16253850.45
H= 4698.4

103100
X= 3308846.73
Y= 16253846.56
H= 4699.0

103075
X= 3308822.04
Y= 16253842.67
H= 4699.7

103050
X= 3308797.34
Y= 16253838.78
H= 4700.0

103025
X= 3308772.65
Y= 16253834.89
H= 4700.0

103000
X= 3308747.95
Y= 16253831.00
H= 4700.2

102975
X= 3308723.26
Y= 16253827.11
H= 4700.4

102950
X= 3308698.56
Y= 16253823.22
H= 4700.4

102925
X= 3308673.87
Y= 16253819.33
H= 4700.8

102900
X= 3308649.17
Y= 16253815.44
H= 4700.9

102875
X= 3308624.48
Y= 16253811.55
H= 4701.1

102850
X= 3308599.77
Y= 16253807.58
H= 4701.7

102825
X= 3308574.93
Y= 16253804.74
H= 4700.6

103600
X= 3309340.63
Y= 16253924.36
H= 4699.0

103575
X= 3309315.94
Y= 16253920.47
H= 4700.2

103550
X= 3309291.24
Y= 16253916.58
H= 4701.1

103525
X= 3309266.55
Y= 16253912.69
H= 4700.9

103500
X= 3309241.85
Y= 16253908.80
H= 4700.9

103475
X= 3309217.16
Y= 16253904.91
H= 4700.8

103450
X= 3309192.46
Y= 16253901.02
H= 4700.8

103425
X= 3309167.77
Y= 16253897.13
H= 4700.7

103400
X= 3309143.07
Y= 16253893.24
H= 4700.9

103375
X= 3309118.38
Y= 16253889.35
H= 4701.1

103350
X= 3309093.68
Y= 16253885.46
H= 4701.2

103325
X= 3309068.99
Y= 16253881.57
H= 4700.6

103300
X= 3309044.29
Y= 16253877.68
H= 4700.2

103275
X= 3309019.60
Y= 16253873.79
H= 4699.6

103250
X= 3308994.90
Y= 16253869.90
H= 4699.6

103225
X= 3308970.21
Y= 16253866.01
H= 4699.6

装

订

线

装

订

线

4 5

装
订
线

装
下
订
线

104000
X= 3309733.79
Y= 16253997.31
H= 4713.5

103975
X= 3309709.34
Y= 16253992.09
H= 4712.7

103950
X= 3309684.89
Y= 16253986.87
H= 4712.1

103925
X= 3309660.44
Y= 16253981.65
H= 4711.4

103900
X= 3309636.00
Y= 16253976.43
H= 4710.3

103875
X= 3309611.55
Y= 16253971.21
H= 4709.4

103850
X= 3309587.10
Y= 16253965.99
H= 4708.3

103825
X= 3309562.65
Y= 16253960.77
H= 4707.9

103800
X= 3309538.19
Y= 16253955.48
H= 4707.0

103775
X= 3309513.50
Y= 16253951.59
H= 4696.2

103750
X= 3309488.80
Y= 16253947.70
H= 4696.9

103725
X= 3309464.11
Y= 16253943.81
H= 4697.3

103700
X= 3309439.41
Y= 16253939.92
H= 4697.7

103675
X= 3309414.72
Y= 16253936.03
H= 4697.7

103650
X= 3309390.02
Y= 16253932.14
H= 4698.0

103625
X= 3309365.33
Y= 16253928.25
H= 4698.2

104400
X= 3310124.96
Y= 16254080.83
H= 4725.0

104375
X= 3310100.51
Y= 16254075.61
H= 4724.5

104350
X= 3310076.06
Y= 16254070.39
H= 4723.8

104325
X= 3310051.61
Y= 16254065.17
H= 4723.3

104300
X= 3310027.16
Y= 16254059.95
H= 4722.8

104275
X= 3310002.72
Y= 16254054.73
H= 4721.8

104250
X= 3309978.27
Y= 16254049.51
H= 4720.1

104225
X= 3309953.82
Y= 16254044.29
H= 4719.6

104200
X= 3309929.37
Y= 16254039.07
H= 4718.5

104175
X= 3309904.92
Y= 16254033.85
H= 4717.8

104150
X= 3309880.48
Y= 16254028.63
H= 4717.1

104125
X= 3309856.03
Y= 16254023.41
H= 4716.4

104100
X= 3309831.58
Y= 16254018.19
H= 4715.7

104075
X= 3309807.13
Y= 16254012.97
H= 4715.2

104050
X= 3309782.68
Y= 16254007.75
H= 4714.5

104025
X= 3309758.24
Y= 16254002.53
H= 4714.0

104800
X= 3310523.77
Y= 16254067.74
H= 4695.5

104775
X= 3310498.85
Y= 16254069.73
H= 4697.6

104750
X= 3310473.93
Y= 16254071.72
H= 4699.7

104725
X= 3310449.01
Y= 16254073.71
H= 4702.2

104700
X= 3310424.09
Y= 16254075.70
H= 4704.9

104675
X= 3310399.17
Y= 16254077.69
H= 4707.6

104650
X= 3310374.25
Y= 16254079.68
H= 4709.9

104625
X= 3310349.33
Y= 16254081.67
H= 4712.1

104600
X= 3310324.40
Y= 16254083.66
H= 4708.9

104575
X= 3310299.48
Y= 16254085.65
H= 4712.2

104550
X= 3310274.56
Y= 16254087.64
H= 4717.3

104525
X= 3310249.65
Y= 16254089.63
H= 4720.1

104500
X= 3310224.71
Y= 16254087.87
H= 4718.9

104475
X= 3310199.77
Y= 16254086.11
H= 4718.9

104450
X= 3310174.83
Y= 16254084.35
H= 4719.7

104425
X= 3310149.89
Y= 16254082.59
H= 4720.1

160

190

170

50

180

6

105825
 X= 3311538.24
 Y= 16253923.78
 H= 4587.3

105850
 X= 3311562.94
 Y= 16253919.90
 H= 4584.1

105875
 X= 3311587.64
 Y= 16253916.02
 H= 4580.2

105900
 X= 3311612.34
 Y= 16253912.14
 H= 4579.5

105925
 X= 3311637.04
 Y= 16253908.26
 H= 4577.1

105950
 X= 3311661.74
 Y= 16253904.38
 H= 4574.7

105975
 X= 3311686.44
 Y= 16253900.50
 H= 4572.3

106000
 X= 3311711.14
 Y= 16253896.62
 H= 4570.2

106025
 X= 3311735.84
 Y= 16253892.74
 H= 4567.9

106050
 X= 3311760.54
 Y= 16253888.86
 H= 4565.9

106075
 X= 3311785.24
 Y= 16253884.98
 H= 4563.9

106100
 X= 3311809.94
 Y= 16253881.10
 H= 4561.0

106125
 X= 3311834.64
 Y= 16253877.22
 H= 4558.7

106150
 X= 3311859.34
 Y= 16253873.34
 H= 4556.7

106175
 X= 3311884.04
 Y= 16253869.46
 H= 4554.9

106200
 X= 3311908.74
 Y= 16253865.58
 H= 4553.7

106225
 X= 3311933.44
 Y= 16253861.70
 H= 4552.2

106250
 X= 3311958.14
 Y= 16253857.82
 H= 4548.6

106275
 X= 3311982.84
 Y= 16253853.94
 H= 4547.1

106300
 X= 3312007.54
 Y= 16253850.06
 H= 4547.7

106325
 X= 3312032.24
 Y= 16253846.18
 H= 4548.4

106350
 X= 3312056.94
 Y= 16253842.30
 H= 4547.9

106375
 X= 3312081.64
 Y= 16253838.42
 H= 4548.8

106400
 X= 3312106.34
 Y= 16253834.54
 H= 4548.9

106425
 X= 3312131.04
 Y= 16253830.66
 H= 4547.6

106450
 X= 3312155.74
 Y= 16253826.78
 H= 4549.5

106475
 X= 3312180.44
 Y= 16253822.90
 H= 4549.5

106500
 X= 3312205.14
 Y= 16253819.02
 H= 4550.0

106525
 X= 3312229.84
 Y= 16253815.14
 H= 4549.7

106550
 X= 3312254.54
 Y= 16253811.26
 H= 4551.0

106575
 X= 3312279.04
 Y= 16253807.19
 H= 4550.4

106600
 X= 3312303.53
 Y= 16253803.16
 H= 4550.4

106625
 X= 3312328.02
 Y= 16253796.13
 H= 4550.0

106650
 X= 3312352.51
 Y= 16253791.10
 H= 4549.6

106675
 X= 3312377.01
 Y= 16253786.07
 H= 4549.4

106700
 X= 3312401.50
 Y= 16253781.04
 H= 4549.3

106725
 X= 3312425.99
 Y= 16253776.01
 H= 4549.1

106750
 X= 3312450.48
 Y= 16253770.98
 H= 4548.9

106775
 X= 3312474.97
 Y= 16253765.95
 H= 4548.7

106800
 X= 3312499.47
 Y= 16253760.92
 H= 4548.5

106825
 X= 3312523.96
 Y= 16253755.89
 H= 4548.3

106850
 X= 3312548.45
 Y= 16253750.86
 H= 4548.2

106875
 X= 3312572.94
 Y= 16253745.83
 H= 4548.0

106900
 X= 3312597.43
 Y= 16253740.80
 H= 4547.7

106925
 X= 3312621.93
 Y= 16253735.77
 H= 4547.4

106950
 X= 3312646.42
 Y= 16253730.74
 H= 4547.3

106975
 X= 3312670.91
 Y= 16253725.71
 H= 4547.2

107000
 X= 3312695.40
 Y= 16253720.68
 H= 4546.9

61

250

270

240

260

280

6

装

订

线

9

62

107025
X= 3312719.89
Y= 16253715.65
H= 4546.8

107050
X= 3312744.39
Y= 16253710.62
H= 4546.6

107075
X= 3312768.88
Y= 16253705.59
H= 4546.6

107100
X= 3312793.37
Y= 16253700.56
H= 4546.3

107125
X= 3312817.86
Y= 16253695.53
H= 4546.5

107150
X= 3312841.74
Y= 16253688.13
H= 4545.6

107175
X= 3312865.62
Y= 16253680.72
H= 4545.1

107200
X= 3312889.50
Y= 16253673.31
H= 4544.8

107225
X= 3312913.38
Y= 16253665.90
H= 4544.2

107250
X= 3312937.26
Y= 16253658.49
H= 4544.0

107275
X= 3312961.14
Y= 16253651.08
H= 4543.8

107300
X= 3312985.02
Y= 16253643.67
H= 4543.0

107325
X= 3313008.90
Y= 16253636.26
H= 4543.4

107350
X= 3313032.78
Y= 16253628.85
H= 4541.9

107375
X= 3313056.66
Y= 16253621.44
H= 4541.4

107400
X= 3313080.54
Y= 16253614.03
H= 4539.6

107425
X= 3313104.42
Y= 16253606.62
H= 4539.1

107450
X= 3313128.30
Y= 16253599.21
H= 4538.8

107475
X= 3313152.18
Y= 16253591.80
H= 4538.0

107500
X= 3313176.06
Y= 16253584.39
H= 4537.4

107525
X= 3313199.94
Y= 16253576.98
H= 4536.9

107550
X= 3313223.82
Y= 16253569.57
H= 4536.5

107575
X= 3313247.70
Y= 16253562.16
H= 4535.9

107600
X= 3313271.58
Y= 16253554.75
H= 4535.4

107625
X= 3313295.46
Y= 16253547.34
H= 4534.6

107650
X= 3313319.34
Y= 16253539.93
H= 4533.9

107675
X= 3313343.22
Y= 16253532.52
H= 4532.9

107700
X= 3313367.10
Y= 16253525.11
H= 4532.4

107725
X= 3313390.98
Y= 16253517.70
H= 4531.5

107750
X= 3313414.86
Y= 16253510.29
H= 4530.3

107775
X= 3313438.74
Y= 16253502.88
H= 4527.5

107800
X= 3313462.62
Y= 16253495.47
H= 4526.9

300

107825
X= 3313486.50
Y= 16253488.06
H= 4526.7

107850
X= 3313510.38
Y= 16253480.65
H= 4525.6

107875
X= 3313534.26
Y= 16253473.24
H= 4524.9

107900
X= 3313558.14
Y= 16253465.83
H= 4524.7

107925
X= 3313582.02
Y= 16253458.42
H= 4523.6

107950
X= 3313605.90
Y= 16253451.01
H= 4522.9

107975
X= 3313629.78
Y= 16253443.60
H= 4522.3

108000
X= 3313653.66
Y= 16253436.19
H= 4521.2

108025
X= 3313677.54
Y= 16253428.78
H= 4520.6

108050
X= 3313701.42
Y= 16253421.37
H= 4520.3

108075
X= 3313725.30
Y= 16253413.96
H= 4519.7

108100
X= 3313749.18
Y= 16253406.55
H= 4518.7

108125
X= 3313773.06
Y= 16253399.14
H= 4517.6

108150
X= 3313796.94
Y= 16253391.73
H= 4517.0

108175
X= 3313820.82
Y= 16253384.32
H= 4516.4

108200
X= 3313844.70
Y= 16253376.91
H= 4516.1

320

290

9

裝

訂

線

9

108225
X= 3313868.58
Y= 16253369.50
H= 4515.1

108250
X= 3313892.46
Y= 16253362.09
H= 4514.4

108275
X= 3313916.34
Y= 16253354.68
H= 4513.1

108300
X= 3313940.22
Y= 16253347.27
H= 4512.5

108325
X= 3313964.10
Y= 16253339.86
H= 4511.6

108350
X= 3313987.98
Y= 16253332.45
H= 4511.0

108375
X= 3314011.86
Y= 16253325.04
H= 4510.1

108400
X= 3314035.74
Y= 16253317.63
H= 4509.2

108425
X= 3314059.62
Y= 16253310.22
H= 4508.6

108450
X= 3314083.50
Y= 16253302.81
H= 4508.0

108475
X= 3314107.38
Y= 16253295.40
H= 4507.6

108500
X= 3314131.26
Y= 16253287.99
H= 4507.0

108525
X= 3314155.14
Y= 16253280.58
H= 4506.4

108550
X= 3314179.02
Y= 16253273.17
H= 4505.8

108575
X= 3314202.90
Y= 16253265.76
H= 4505.2

108600
X= 3314226.78
Y= 16253258.35
H= 4504.5

320

108625
X= 3314250.66
Y= 16253250.94
H= 4504.0

108650
X= 3314274.54
Y= 16253243.53
H= 4503.3

108675
X= 3314298.42
Y= 16253236.12
H= 4502.1

108700
X= 3314322.30
Y= 16253228.71
H= 4501.3

108725
X= 3314346.18
Y= 16253221.30
H= 4501.0

108750
X= 3314370.06
Y= 16253213.89
H= 4500.5

108775
X= 3314393.94
Y= 16253206.48
H= 4499.8

108800
X= 3314417.82
Y= 16253199.07
H= 4499.0

108825
X= 3314441.70
Y= 16253191.66
H= 4498.0

108850
X= 3314465.58
Y= 16253184.25
H= 4497.4

108875
X= 3314489.46
Y= 16253176.84
H= 4497.0

108900
X= 3314513.34
Y= 16253169.43
H= 4496.4

108925
X= 3314537.22
Y= 16253162.02
H= 4495.8

108950
X= 3314561.10
Y= 16253154.61
H= 4495.3

108975
X= 3314584.98
Y= 16253147.20
H= 4494.7

109000
X= 3314608.86
Y= 16253139.79
H= 4494.6

350

109025
X= 3314632.74
Y= 16253132.38
H= 4494.0

109050
X= 3314656.62
Y= 16253124.97
H= 4493.6

109075
X= 3314680.50
Y= 16253117.56
H= 4493.4

109100
X= 3314704.38
Y= 16253110.15
H= 4492.6

109125
X= 3314728.26
Y= 16253102.74
H= 4492.3

109150
X= 3314752.14
Y= 16253095.33
H= 4491.6

109175
X= 3314776.02
Y= 16253087.92
H= 4491.0

109200
X= 3314799.90
Y= 16253080.51
H= 4490.5

109225
X= 3314823.78
Y= 16253073.10
H= 4490.0

109250
X= 3314847.66
Y= 16253065.69
H= 4489.5

109275
X= 3314871.54
Y= 16253058.28
H= 4489.2

109300
X= 3314895.42
Y= 16253050.87
H= 4488.2

109325
X= 3314919.30
Y= 16253043.46
H= 4487.7

109350
X= 3314943.18
Y= 16253036.05
H= 4487.4

109375
X= 3314967.06
Y= 16253028.64
H= 4487.1

109400
X= 3314989.29
Y= 16253017.31
H= 4486.4

370

装
订
线

9

64
 109425
 X= 3315011.54
 Y= 16253005.90
 H= 4489.8
 109450
 X= 3315033.79
 Y= 16252994.49
 H= 4485.4
 109475
 X= 3315056.03
 Y= 16252983.08
 H= 4484.9
 109500
 X= 3315078.28
 Y= 16252971.67
 H= 4484.2
 390
 109525
 X= 3315100.52
 Y= 16252960.26
 H= 4483.6
 109550
 X= 3315122.77
 Y= 16252948.85
 H= 4483.2
 109575
 X= 3315145.02
 Y= 16252937.44
 H= 4482.7
 109600
 X= 3315167.26
 Y= 16252926.03
 H= 4482.5
 109625
 X= 3315189.51
 Y= 16252914.62
 H= 4480.5
 109650
 X= 3315211.75
 Y= 16252903.21
 H= 4481.9
 109675
 X= 3315234.00
 Y= 16252891.80
 H= 4481.5
 109700
 X= 3315256.25
 Y= 16252880.39
 H= 4481.1
 109725
 X= 3315278.49
 Y= 16252868.98
 H= 4480.6
 109750
 X= 3315300.74
 Y= 16252857.57
 H= 4480.2
 390
 109775
 X= 3315322.98
 Y= 16252846.16
 H= 4479.8
 109800
 X= 3315345.23
 Y= 16252834.75
 H= 4479.4

109825
 X= 3315367.48
 Y= 16252823.34
 H= 4478.2
 109850
 X= 3315389.72
 Y= 16252811.93
 H= 4478.3
 109875
 X= 3315411.97
 Y= 16252800.52
 H= 4477.8
 109900
 X= 3315434.21
 Y= 16252789.11
 H= 4477.4
 109925
 X= 3315456.46
 Y= 16252777.70
 H= 4476.8
 109950
 X= 3315478.71
 Y= 16252766.29
 H= 4476.3
 109975
 X= 3315500.95
 Y= 16252754.88
 H= 4475.9
 110000
 X= 3315523.20
 Y= 16252743.47
 H= 4475.3
 400
 110025
 X= 3315545.44
 Y= 16252732.06
 H= 4474.7
 110050
 X= 3315567.69
 Y= 16252720.65
 H= 4474.0
 110075
 X= 3315589.94
 Y= 16252709.24
 H= 4473.4
 110100
 X= 3315612.18
 Y= 16252697.83
 H= 4473.2
 110125
 X= 3315634.43
 Y= 16252686.42
 H= 4472.5
 110150
 X= 3315656.67
 Y= 16252675.01
 H= 4472.1
 110175
 X= 3315678.92
 Y= 16252663.60
 H= 4471.7
 110200
 X= 3315701.17
 Y= 16252652.19
 H= 4471.0

110225
 X= 3315723.41
 Y= 16252640.78
 H= 4470.5
 110250
 X= 3315745.66
 Y= 16252629.37
 H= 4469.8
 410
 110275
 X= 3315767.90
 Y= 16252617.96
 H= 4469.4
 110300
 X= 3315790.15
 Y= 16252606.55
 H= 4468.9
 110325
 X= 3315812.40
 Y= 16252595.14
 H= 4467.9
 110350
 X= 3315834.64
 Y= 16252583.73
 H= 4467.5
 110375
 X= 3315856.89
 Y= 16252572.32
 H= 4466.7
 110400
 X= 3315879.13
 Y= 16252560.91
 H= 4466.2
 110425
 X= 3315901.38
 Y= 16252549.50
 H= 4465.2
 110450
 X= 3315923.63
 Y= 16252538.09
 H= 4465.0
 110475
 X= 3315945.87
 Y= 16252526.68
 H= 4463.9
 110500
 X= 3315968.12
 Y= 16252515.27
 H= 4464.0
 420
 110525
 X= 3315990.36
 Y= 16252503.86
 H= 4463.9
 110550
 X= 3316012.61
 Y= 16252492.45
 H= 4463.7
 110575
 X= 3316034.76
 Y= 16252480.73
 H= 4463.0
 110600
 X= 3316056.90
 Y= 16252469.12
 H= 4462.6

11.

裝

訂

线

11

11
78

36
37

90
96

15
55

40
14

64
73

89
32

13
91

38
50

63
09

87
68

12
27

36
86

61
45

76
73

90
12

110625
X= 3316079.05
Y= 16252457.51
H= 4462.7

110650
X= 3316101.19
Y= 16252445.90
H= 4462.0

110675
X= 3316123.33
Y= 16252434.29
H= 4461.4

110700
X= 3316145.48
Y= 16252422.68
H= 4460.9

110725
X= 3316167.62
Y= 16252411.07
H= 4459.8

110750
X= 3316189.76
Y= 16252399.46
H= 4459.6

110775
X= 3316211.91
Y= 16252387.85
H= 4459.1

110800
X= 3316234.05
Y= 16252376.24
H= 4458.6

110825
X= 3316256.19
Y= 16252364.63
H= 4458.1

110850
X= 3316278.33
Y= 16252353.02
H= 4457.7

110875
X= 3316300.48
Y= 16252341.41
H= 4457.2

110900
X= 3316322.62
Y= 16252329.80
H= 4456.6

110925
X= 3316344.76
Y= 16252318.19
H= 4456.6

110950
X= 3316366.91
Y= 16252306.58
H= 4456.4

110975
X= 3316389.05
Y= 16252294.97
H= 4455.7

111000
X= 3316411.19
Y= 16252283.36
H= 4455.0

430

訂

线

440

111025
X= 3316433.34
Y= 16252271.75
H= 4454.5

111050
X= 3316455.48
Y= 16252260.14
H= 4454.0

111075
X= 3316477.62
Y= 16252248.53
H= 4453.5

111100
X= 3316499.76
Y= 16252236.92
H= 4453.0

111125
X= 3316521.91
Y= 16252225.31
H= 4452.5

111150
X= 3316544.05
Y= 16252213.70
H= 4451.9

111175
X= 3316566.19
Y= 16252202.09
H= 4451.7

111200
X= 3316588.34
Y= 16252190.48
H= 4451.3

111225
X= 3316610.48
Y= 16252178.87
H= 4451.1

111250
X= 3316632.62
Y= 16252167.26
H= 4450.2

111275
X= 3316654.77
Y= 16252155.65
H= 4449.8

111300
X= 3316676.91
Y= 16252144.04
H= 4449.4

111325
X= 3316699.05
Y= 16252132.43
H= 4449.3

111350
X= 3316720.52
Y= 16252119.59
H= 4448.8

111375
X= 3316741.99
Y= 16252106.78
H= 4448.7

111400
X= 3316763.46
Y= 16252093.97
H= 4447.7

450

460

470

111425
X= 3316784.93
Y= 16252081.16
H= 4447.4

111450
X= 3316806.40
Y= 16252068.35
H= 4446.9

111475
X= 3316827.87
Y= 16252055.54
H= 4446.7

111500
X= 3316849.34
Y= 16252042.73
H= 4445.7

111525
X= 3316870.81
Y= 16252029.92
H= 4445.0

111550
X= 3316892.28
Y= 16252017.11
H= 4444.5

111575
X= 3316913.75
Y= 16252004.30
H= 4444.3

111600
X= 3316935.22
Y= 16251991.49
H= 4444.7

111625
X= 3316956.69
Y= 16251978.68
H= 4443.7

111650
X= 3316978.16
Y= 16251965.87
H= 4443.1

111675
X= 3316999.63
Y= 16251953.06
H= 4442.4

111700
X= 3317021.10
Y= 16251940.25
H= 4442.2

111725
X= 3317042.57
Y= 16251927.44
H= 4441.7

111750
X= 3317054.04
Y= 16251914.63
H= 4441.2

111775
X= 3317085.51
Y= 16251901.82
H= 4440.9

111800
X= 3317106.98
Y= 16251889.01
H= 4440.4

| | | |
|---|--|--|
| 66 111825 X= 3317128.45 Y= 16251876.20 H= 4440° | 112225 X= 3317488.77 Y= 16251720.54 H= 4477.8 | 112625 X= 3317886.77 Y= 16251682.06 H= 4428.4 |
| 111850 X= 3317149.92 Y= 16251863.39 H= 4479.9 | 490 112250 X= 3317513.60 Y= 16251717.61 H= 4477.2 | 112650 X= 3317911.74 Y= 16251680.81 H= 4428.7 |
| 111875 X= 3317171.39 Y= 16251850.58 H= 4478.9 | 112275 X= 3317538.43 Y= 16251714.68 H= 4472.8 | 112675 X= 3317936.71 Y= 16251679.56 H= 4428.7 |
| 111900 X= 3317192.86 Y= 16251837.77 H= 4478.7 | 112300 X= 3317563.26 Y= 16251711.75 H= 4472.8 | 112700 X= 3317961.68 Y= 16251678.31 H= 4428.7 |
| 111925 X= 3317214.33 Y= 16251824.96 H= 4478.7 | 112325 X= 3317588.09 Y= 16251708.82 H= 4471.9 | 112725 X= 3317986.65 Y= 16251677.06 H= 4428.2 |
| 111950 X= 3317235.80 Y= 16251812.15 H= 4477.7 | 112350 X= 3317612.92 Y= 16251705.89 H= 4471.5 | 510 112750 X= 3318011.63 Y= 16251675.81 H= 4428.2 |
| 111975 X= 3317257.27 Y= 16251799.34 H= 4477.4 | 112375 X= 3317637.75 Y= 16251702.96 H= 4471.2 | 112775 X= 3318036.60 Y= 16251674.56 H= 4428.1 |
| 480 112000 X= 3317278.74 Y= 16251786.53 H= 4477° | 112400 X= 3317662.58 Y= 16251700.03 H= 4470.8 | 112800 X= 3318061.57 Y= 16251673.31 H= 4428° |
| 112025 X= 3317300.21 Y= 16251773.72 H= 4476.4 | 112425 X= 3317687.42 Y= 16251697.10 H= 4470.5 | 112825 X= 3318086.54 Y= 16251672.06 H= 4428° |
| 112050 X= 3317321.68 Y= 16251760.91 H= 4476° | 112450 X= 3317712.25 Y= 16251694.17 H= 4470° | 112850 X= 3318111.51 Y= 16251670.81 H= 4427.9 |
| 112075 X= 3317343.15 Y= 16251748.10 H= 4475.6 | 112475 X= 3317737.08 Y= 16251691.24 H= 4429.7 | 112875 X= 3318136.49 Y= 16251669.56 H= 4427.8 |
| 112100 X= 3317364.62 Y= 16251735.29 H= 4475.1 | 500 112500 X= 3317761.91 Y= 16251688.31 H= 4429.8 | 112900 X= 3318161.46 Y= 16251668.31 H= 4427.7 |
| 112125 X= 3317389.44 Y= 16251732.26 H= 4476° | 112525 X= 3317786.88 Y= 16251687.06 H= 4429.6 | 112925 X= 3318186.43 Y= 16251667.06 H= 4427.7 |
| 112150 X= 3317414.27 Y= 16251729.33 H= 4475.3 | 112550 X= 3317811.85 Y= 16251685.81 H= 4429.2 | 112950 X= 3318211.40 Y= 16251665.81 H= 4427.7 |
| 112175 X= 3317439.11 Y= 16251726.40 H= 4475.1 | 112575 X= 3317836.82 Y= 16251684.56 H= 4428.9 | 112975 X= 3318235.84 Y= 16251671.01 H= 4427.6 |
| 112200 X= 3317463.94 Y= 16251723.47 H= 4474.7 | 112600 X= 3317861.79 Y= 16251683.31 H= 4428.5 | 520 113000 X= 3318260.28 Y= 16251676.28 H= 4427.7 |

13

7
6
4
1
1
6
8
11
15
16
33
31
50
56
57
31
54
26
51
81
49
56
46
31
43
06
40
81
84
01
28
28

装
订
线

113025
X= 3318284.72
Y= 16251681.55
H= 44269

113050
X= 3318309.16
Y= 16251686.82
H= 44258

113075
X= 3318333.60
Y= 16251692.09
H= 44262

113100
X= 3318358.04
Y= 16251697.36
H= 44261

113125
X= 3318382.48
Y= 16251702.63
H= 44254

113150
X= 3318406.92
Y= 16251707.90
H= 44223

113175
X= 3318431.36
Y= 16251713.17
H= 44207

113200
X= 3318455.81
Y= 16251718.44
H= 44206

113225
X= 3318480.25
Y= 16251723.71
H= 44210

113250
X= 3318504.69
Y= 16251728.98
H= 44187

113275
X= 3318529.13
Y= 16251734.25
H= 44186

113300
X= 3318553.57
Y= 16251739.52
H= 44185

113325
X= 3318578.01
Y= 16251744.79
H= 44198

113350
X= 3318602.45
Y= 16251750.06
H= 44206

113375
X= 3318626.89
Y= 16251755.33
H= 44201

113400
X= 3318651.33
Y= 16251760.60
H= 44198

113425
X= 3318675.77
Y= 16251765.87
H= 44192

113450
X= 3318700.22
Y= 16251771.14
H= 44189

113475
X= 3318724.66
Y= 16251776.41
H= 44220

113500
X= 3318749.10
Y= 16251781.68
H= 44221

113525
X= 3318773.54
Y= 16251786.95
H= 44222

113550
X= 3318797.98
Y= 16251792.22
H= 44208

113575
X= 3318822.42
Y= 16251797.49
H= 44262

113600
X= 3318846.86
Y= 16251802.76
H= 44201

113625
X= 3318871.30
Y= 16251808.03
H= 44219

113650
X= 3318895.74
Y= 16251813.30
H= 44224

113675
X= 3318920.18
Y= 16251818.57
H= 44243

113700
X= 3318944.63
Y= 16251823.84
H= 44222

113725
X= 3318969.07
Y= 16251829.11
H= 44262

113750
X= 3318993.51
Y= 16251834.38
H= 44223

113775
X= 3319017.95
Y= 16251839.65
H= 44222

113800
X= 3319042.39
Y= 16251844.92
H= 44285

113825
X= 3319066.83
Y= 16251850.19
H= 44227

113850
X= 3319087.77
Y= 16251863.88
H= 44288

113875
X= 3319108.70
Y= 16251877.57
H= 44402

113900
X= 3319129.62
Y= 16251891.26
H= 44407

113925
X= 3319150.54
Y= 16251904.95
H= 44402

113950
X= 3319173.89
Y= 16251913.89
H= 44296

113975
X= 3319197.23
Y= 16251922.84
H= 44289

114000
X= 3319220.58
Y= 16251931.79
H= 44278

114025
X= 3319243.92
Y= 16251940.74
H= 44266

114050
X= 3319267.27
Y= 16251949.69
H= 44227

114075
X= 3319290.61
Y= 16251958.64
H= 44249

114100
X= 3319313.96
Y= 16251967.59
H= 44227

114125
X= 3319338.83
Y= 16251970.14
H= 44217

114150
X= 3319363.71
Y= 16251972.67
H= 44284

114175
X= 3319388.58
Y= 16251975.20
H= 44245

114200
X= 3319413.46
Y= 16251977.73
H= 44182

540

560

530

550

13

68

114225
 X= 3319438.33
 Y= 16251980.26
 H= 4411.8

114250
 X= 3319463.20
 Y= 16251982.79
 H= 4407.6

114275
 X= 3319488.08
 Y= 16251985.32
 H= 4407.3

114300
 X= 3319512.95
 Y= 16251987.85
 H= 4400.5

114325
 X= 3319537.83
 Y= 16251990.38
 H= 4397.6

114350
 X= 3319562.70
 Y= 16251992.91
 H= 4395.5

114375
 X= 3319587.57
 Y= 16251995.44
 H= 4391.7

114400
 X= 3319612.45
 Y= 16251997.97
 H= 4391.4

114425
 X= 3319637.32
 Y= 16252000.50
 H= 4392.4

114450
 X= 3319662.20
 Y= 16252003.03
 H= 4390.8

114475
 X= 3319687.07
 Y= 16252005.56
 H= 4390.1

114500
 X= 3319711.94
 Y= 16252008.09
 H= 4388.6

114525
 X= 3319736.82
 Y= 16252010.62
 H= 4387.0

114550
 X= 3319761.69
 Y= 16252013.15
 H= 4384.8

114575
 X= 3319786.57
 Y= 16252015.68
 H= 4384.3

114600
 X= 3319811.44
 Y= 16252018.21
 H= 4382.7

570

114625
 X= 3319836.31
 Y= 16252020.74
 H= 4379.9

114650
 X= 3319861.19
 Y= 16252023.27
 H= 4381.0

114675
 X= 3319886.06
 Y= 16252025.80
 H= 4380.4

114700
 X= 3319910.94
 Y= 16252028.33
 H= 4376.8

114725
 X= 3319935.81
 Y= 16252030.86
 H= 4378.7

114750
 X= 3319960.68
 Y= 16252033.39
 H= 4377.9

114775
 X= 3319985.56
 Y= 16252035.92
 H= 4382.6

114800
 X= 3320010.43
 Y= 16252038.45
 H= 4387.7

114825
 X= 3320035.31
 Y= 16252040.98
 H= 4382.1

114850
 X= 3320060.18
 Y= 16252043.51
 H= 4379.6

114875
 X= 3320085.05
 Y= 16252046.04
 H= 4377.6

114900
 X= 3320109.93
 Y= 16252048.57
 H= 4379.8

114925
 X= 3320134.80
 Y= 16252051.10
 H= 4379.5

114950
 X= 3320159.68
 Y= 16252053.63
 H= 4374.6

114975
 X= 3320184.55
 Y= 16252056.16
 H= 4374.6

115000
 X= 3320209.42
 Y= 16252058.69
 H= 4374.6

590

115025
 X= 3320234.30
 Y= 16252061.22
 H= 4375.1

115050
 X= 3320259.17
 Y= 16252063.75
 H= 4377.1

115075
 X= 3320284.05
 Y= 16252066.28
 H= 4377.1

115100
 X= 3320308.92
 Y= 16252068.81
 H= 4374.4

115125
 X= 3320333.79
 Y= 16252071.34
 H= 4375.5

115150
 X= 3320358.66
 Y= 16252081.59
 H= 4374.2

115175
 X= 3320379.58
 Y= 16252091.66
 H= 4372.4

115200
 X= 3320402.46
 Y= 16252101.73
 H= 4369.9

115225
 X= 3320425.35
 Y= 16252111.80
 H= 4365.4

115250
 X= 3320448.23
 Y= 16252121.87
 H= 4361.3

115275
 X= 3320471.11
 Y= 16252131.94
 H= 4356.1

115300
 X= 3320494.00
 Y= 16252142.01
 H= 4351.3

115325
 X= 3320516.88
 Y= 16252152.08
 H= 4348.7

115350
 X= 3320539.77
 Y= 16252162.15
 H= 4348.1

115375
 X= 3320562.65
 Y= 16252172.22
 H= 4346.9

115400
 X= 3320585.53
 Y= 16252182.29
 H= 4346.7

610

580

600

15

装

订

线

30
22

17
75

05
28

92
81

79
34

69
59

58
66

46
73

35
80

23
87

11
94

00
01

08
08

77
15

2.65
2.22

5.53
2.29

115425
X= 3320608.42
Y= 16252192.36
H= 4744.6

115450
X= 3320631.30
Y= 16252202.43
H= 4745.7

115475
X= 3320654.19
Y= 16252212.50
H= 4742.9

115500
X= 3320677.07
Y= 16252222.57
H= 4742.5

115525
X= 3320699.95
Y= 16252232.64
H= 4741.7

115550
X= 3320722.84
Y= 16252242.71
H= 4741.3

115575
X= 3320745.72
Y= 16252252.78
H= 4740.7

115600
X= 3320768.61
Y= 16252262.85
H= 4740.3

115625
X= 3320791.49
Y= 16252272.92
H= 4740.0

115650
X= 3320814.37
Y= 16252282.99
H= 4740.7

115675
X= 3320837.26
Y= 16252293.06
H= 4743.3

115700
X= 3320860.14
Y= 16252303.13
H= 4745.2

115725
X= 3320883.03
Y= 16252313.20
H= 4745.7

115750
X= 3320905.91
Y= 16252323.27
H= 4744.7

115775
X= 3320928.79
Y= 16252333.34
H= 4744.2

115800
X= 3320951.68
Y= 16252343.41
H= 4744.2

115825
X= 3320974.56
Y= 16252353.48
H= 4747.6

115850
X= 3320997.45
Y= 16252363.55
H= 4750.5

115875
X= 3321020.33
Y= 16252373.62
H= 4750.9

115900
X= 3321032.79
Y= 16252395.39
H= 4749.2

115925
X= 3321045.23
Y= 16252417.08
H= 4748.2

115950
X= 3321057.68
Y= 16252438.77
H= 4741.8

115975
X= 3321070.12
Y= 16252460.46
H= 4736.2

116000
X= 3321082.56
Y= 16252482.15
H= 4737.7

116025
X= 3321095.01
Y= 16252503.84
H= 4727.2

116050
X= 3321107.45
Y= 16252525.53
H= 4724.9

116075
X= 3321119.90
Y= 16252547.22
H= 4723.2

116100
X= 3321132.34
Y= 16252568.91
H= 4721.9

116125
X= 3321144.78
Y= 16252590.60
H= 4721.2

116150
X= 3321157.23
Y= 16252612.29
H= 4720.7

116175
X= 3321169.67
Y= 16252633.98
H= 4719.7

116200
X= 3321182.12
Y= 16252655.67
H= 4719.0

116225
X= 3321194.56
Y= 16252677.36
H= 4718.2

116250
X= 3321207.00
Y= 16252699.05
H= 4717.8

116275
X= 3321219.45
Y= 16252720.74
H= 4717.0

116300
X= 3321231.89
Y= 16252742.43
H= 4716.8

116325
X= 3321244.34
Y= 16252764.12
H= 4716.5

116350
X= 3321256.78
Y= 16252785.81
H= 4716.5

116375
X= 3321269.22
Y= 16252807.50
H= 4716.2

116400
X= 3321281.67
Y= 16252829.19
H= 4715.9

116425
X= 3321294.11
Y= 16252850.88
H= 4715.8

116450
X= 3321306.56
Y= 16252872.57
H= 4715.8

116475
X= 3321319.00
Y= 16252894.26
H= 4715.5

116500
X= 3321331.44
Y= 16252915.95
H= 4715.4

116525
X= 3321343.89
Y= 16252937.64
H= 4715.2

116550
X= 3321356.33
Y= 16252959.33
H= 4715.1

116575
X= 3321368.78
Y= 16252981.02
H= 4714.9

116600
X= 3321381.22
Y= 16253002.71
H= 4714.5

裝
訂
線

620

640

650

660

15

70

116625
X= 3321393.66
Y= 16253024.40
H= 43146

116650
X= 3321406.11
Y= 16253046.09
H= 43145

116675
X= 3321418.55
Y= 16253067.78
H= 43146

116700
X= 3321431.00
Y= 16253089.47
H= 43145

116725
X= 3321443.44
Y= 16253111.16
H= 43145

116750
X= 3321455.88
Y= 16253132.85
H= 43145

116775
X= 3321468.33
Y= 16253154.54
H= 43148

116800
X= 3321480.77
Y= 16253176.23
H= 43146

116825
X= 3321493.22
Y= 16253197.92
H= 43143

116850
X= 3321505.66
Y= 16253219.61
H= 43142

116875
X= 3321518.10
Y= 16253241.30
H= 43138

116900
X= 3321530.55
Y= 16253262.99
H= 43135

116925
X= 3321542.99
Y= 16253284.68
H= 43132

116950
X= 3321555.44
Y= 16253306.37
H= 43129

116975
X= 3321567.88
Y= 16253328.06
H= 43126

117000
X= 3321580.32
Y= 16253349.75
H= 43123

117025
X= 3321588.19
Y= 16253373.28
H= 43129

117050
X= 3321596.04
Y= 16253397.02
H= 43127

117075
X= 3321603.90
Y= 16253420.76
H= 43124

117100
X= 3321611.75
Y= 16253444.50
H= 43121

117125
X= 3321619.61
Y= 16253468.24
H= 43119

117150
X= 3321627.47
Y= 16253491.98
H= 43117

117175
X= 3321635.32
Y= 16253515.72
H= 43114

117200
X= 3321643.18
Y= 16253539.46
H= 43112

117225
X= 3321651.03
Y= 16253563.20
H= 43110

117250
X= 3321658.89
Y= 16253586.94
H= 43108

117275
X= 3321666.75
Y= 16253610.68
H= 43106

117300
X= 3321674.60
Y= 16253634.42
H= 43104

117325
X= 3321682.46
Y= 16253658.16
H= 43102

117350
X= 3321690.31
Y= 16253681.90
H= 43100

117375
X= 3321698.17
Y= 16253705.64
H= 43098

117400
X= 3321706.03
Y= 16253729.38
H= 43096

117425
X= 3321713.88
Y= 16253753.12
H= 43094

117450
X= 3321721.74
Y= 16253776.86
H= 43092

117475
X= 3321729.59
Y= 16253800.60
H= 43090

117500
X= 3321737.45
Y= 16253824.34
H= 43088

117525
X= 3321745.31
Y= 16253848.08
H= 43086

117550
X= 3321753.16
Y= 16253871.82
H= 43084

117575
X= 3321761.02
Y= 16253895.56
H= 43082

117600
X= 3321768.87
Y= 16253919.30
H= 43080

117625
X= 3321776.73
Y= 16253943.04
H= 43078

117650
X= 3321784.59
Y= 16253966.78
H= 43076

117675
X= 3321792.44
Y= 16253990.52
H= 43074

117700
X= 3321800.30
Y= 16254014.26
H= 43072

117725
X= 3321808.15
Y= 16254038.00
H= 43070

117750
X= 3321816.01
Y= 16254061.74
H= 43068

117775
X= 3321823.87
Y= 16254085.48
H= 43066

117800
X= 3321831.72
Y= 16254109.22
H= 43064

670

690

700

710

680

装

订

线

3.88
3.12

1.74
6.86

9.59
0.60

17.45
4.34

15.31
18.08

13.16
11.82

11.02
15.56

18.87
19.30

76.73
43.04

84.59
66.78

92.44
90.52

00.30
14.26

08.15
138.00

116.01
161.74

123.87
185.48

131.72
109.22

装
.....
订
.....
线

117825
X= 3321839.58
Y= 16254132.96
H= 4304.8
117850
X= 3321847.43
Y= 16254156.70
H= 4304.6
117875
X= 3321855.29
Y= 16254180.44
H= 4304.6
117900
X= 3321863.15
Y= 16254204.18
H= 4304.4
117925
X= 3321871.00
Y= 16254227.92
H= 4304.4
117950
X= 3321878.86
Y= 16254251.66
H= 4304.6
117975
X= 3321886.71
Y= 16254275.40
H= 4304.4
118000
X= 3321894.57
Y= 16254299.14
H= 4304.4
118025
X= 3321902.43
Y= 16254322.88
H= 4304.2
118050
X= 3321910.28
Y= 16254346.62
H= 4304.0
118075
X= 3321920.90
Y= 16254369.07
H= 4302.6
118100
X= 3321931.50
Y= 16254391.71
H= 4302.4
118125
X= 3321942.11
Y= 16254414.35
H= 4302.4
118150
X= 3321952.72
Y= 16254436.99
H= 4301.8
118175
X= 3321963.32
Y= 16254459.63
H= 4301.7
118200
X= 3321973.93
Y= 16254482.27
H= 4301.6

118225
X= 3321984.54
Y= 16254504.91
H= 4301.4
118250
X= 3321995.14
Y= 16254527.55
H= 4301.4
118275
X= 3322005.75
Y= 16254550.19
H= 4301.3
118300
X= 3322016.36
Y= 16254572.83
H= 4301.2
118325
X= 3322026.97
Y= 16254595.47
H= 4301.3
118350
X= 3322037.57
Y= 16254618.11
H= 4301.3
118375
X= 3322048.18
Y= 16254640.75
H= 4301.3
118400
X= 3322058.79
Y= 16254663.39
H= 4301.1
118425
X= 3322069.39
Y= 16254686.03
H= 4301.1
118450
X= 3322080.00
Y= 16254708.67
H= 4300.9
118475
X= 3322090.61
Y= 16254731.31
H= 4300.8
118500
X= 3322101.21
Y= 16254753.95
H= 4300.6
118525
X= 3322111.82
Y= 16254776.59
H= 4300.7
118550
X= 3322122.43
Y= 16254799.23
H= 4300.8
118575
X= 3322133.04
Y= 16254821.87
H= 4300.8
118600
X= 3322143.64
Y= 16254844.51
H= 4300.9

118625
X= 3322154.25
Y= 16254867.15
H= 4300.5
118650
X= 3322164.86
Y= 16254889.79
H= 4300.5
118675
X= 3322175.46
Y= 16254912.43
H= 4300.4
118700
X= 3322186.07
Y= 16254935.07
H= 4300.4
118725
X= 3322196.68
Y= 16254957.71
H= 4300.1
118750
X= 3322207.28
Y= 16254980.35
H= 4300.1
118775
X= 3322217.89
Y= 16255002.99
H= 4299.8
118800
X= 3322228.50
Y= 16255025.63
H= 4299.8
118825
X= 3322239.11
Y= 16255048.27
H= 4299.7
118850
X= 3322249.71
Y= 16255070.91
H= 4299.7
118875
X= 3322260.32
Y= 16255093.55
H= 4299.6
118900
X= 3322270.93
Y= 16255116.19
H= 4299.5
118925
X= 3322281.53
Y= 16255138.83
H= 4299.2
118950
X= 3322292.14
Y= 16255161.47
H= 4299.2
118975
X= 3322302.75
Y= 16255184.11
H= 4298.8
119000
X= 3322313.35
Y= 16255206.75
H= 4298.8

720

730

750

740

760

17

18

72

119025
X= 3322323.96
Y= 16255229.39
H= 4298.4

119050
X= 3322334.57
Y= 16255252.03
H= 4298.0

119075
X= 3322345.18
Y= 16255274.67
H= 4297.9

119100
X= 3322355.78
Y= 16255297.31
H= 4297.6

119125
X= 3322366.39
Y= 16255319.95
H= 4297.4

119150
X= 3322377.00
Y= 16255342.59
H= 4297.7

119175
X= 3322387.60
Y= 16255365.23
H= 4297.6

119200
X= 3322398.21
Y= 16255387.87
H= 4298.5

119225
X= 3322408.82
Y= 16255410.51
H= 4298.1

119250
X= 3322419.42
Y= 16255433.15
H= 4298.0

119275
X= 3322430.03
Y= 16255455.79
H= 4298.0

119300
X= 3322440.64
Y= 16255478.43
H= 4297.5

119325
X= 3322451.25
Y= 16255501.07
H= 4298.2

119350
X= 3322461.85
Y= 16255523.71
H= 4297.7

119375
X= 3322472.46
Y= 16255546.35
H= 4297.7

119400
X= 3322483.07
Y= 16255568.99
H= 4297.6

119425
X= 3322493.67
Y= 16255591.63
H= 4297.5

119450
X= 3322504.28
Y= 16255614.27
H= 4297.9

119475
X= 3322520.95
Y= 16255632.95
H= 4298.1

119500
X= 3322537.60
Y= 16255651.61
H= 4297.1

119525
X= 3322554.25
Y= 16255670.27
H= 4297.7

119550
X= 3322570.89
Y= 16255688.93
H= 4298.0

119575
X= 3322587.54
Y= 16255707.59
H= 4298.2

119600
X= 3322604.19
Y= 16255726.25
H= 4298.1

119625
X= 3322620.84
Y= 16255744.91
H= 4298.7

119650
X= 3322637.48
Y= 16255763.57
H= 4298.5

119675
X= 3322654.13
Y= 16255782.23
H= 4298.5

119700
X= 3322670.78
Y= 16255800.89
H= 4298.6

119725
X= 3322687.42
Y= 16255819.55
H= 4298.5

119750
X= 3322704.07
Y= 16255838.21
H= 4298.2

119775
X= 3322720.72
Y= 16255856.87
H= 4298.2

119800
X= 3322737.36
Y= 16255875.53
H= 4297.9

119825
X= 3322754.01
Y= 16255894.19
H= 4298.2

119850
X= 3322770.66
Y= 16255912.85
H= 4297.4

119875
X= 3322787.31
Y= 16255931.51
H= 4297.7

119900
X= 3322803.95
Y= 16255950.17
H= 4297.7

119925
X= 3322820.60
Y= 16255968.83
H= 4297.3

119950
X= 3322837.25
Y= 16255987.49
H= 4297.2

119975
X= 3322853.89
Y= 16256006.15
H= 4297.0

120000
X= 3322870.54
Y= 16256024.81
H= 4297.2

120025
X= 3322887.19
Y= 16256043.47
H= 4297.1

120050
X= 3322903.83
Y= 16256062.13
H= 4297.1

120075
X= 3322920.48
Y= 16256080.79
H= 4297.0

120100
X= 3322937.13
Y= 16256099.45
H= 4297.0

120125
X= 3322953.78
Y= 16256118.11
H= 4296.6

120150
X= 3322970.42
Y= 16256136.77
H= 4296.5

120175
X= 3322987.07
Y= 16256155.43
H= 4296.8

120200
X= 3323003.72
Y= 16256174.09
H= 4296.8

装 订 线

装 订 线

740

400

770

790

908

18

73

120225
X= 3323028.36
Y= 16256192.75
H= 4296.1

120250
X= 3323040.45
Y= 16256207.48
H= 4296.7

120275
X= 3323060.54
Y= 16256222.36
H= 4296.7

120300
X= 3323080.63
Y= 16256237.24
H= 4297.8

120325
X= 3323100.72
Y= 16256252.12
H= 4296.0

120350
X= 3323120.81
Y= 16256267.00
H= 4296.2

120375
X= 3323140.90
Y= 16256281.88
H= 4296.7

120400
X= 3323160.99
Y= 16256296.76
H= 4296.5

120425
X= 3323181.08
Y= 16256311.64
H= 4296.6

120450
X= 3323201.17
Y= 16256326.52
H= 4296.9

120475
X= 3323221.26
Y= 16256341.40
H= 4297.2

120500
X= 3323241.35
Y= 16256356.28
H= 4297.7

120525
X= 3323261.44
Y= 16256371.16
H= 4297.7

120550
X= 3323281.53
Y= 16256386.04
H= 4297.0

120575
X= 3323301.62
Y= 16256400.92
H= 4297.0

120600
X= 3323321.71
Y= 16256415.80
H= 4296.9

120625
X= 3323341.80
Y= 16256430.68
H= 4296.8

120650
X= 3323361.89
Y= 16256445.56
H= 4297.8

120675
X= 3323381.98
Y= 16256460.44
H= 4296.4

120700
X= 3323402.07
Y= 16256475.32
H= 4296.8

120725
X= 3323422.16
Y= 16256490.20
H= 4296.7

120750
X= 3323442.25
Y= 16256505.08
H= 4296.7

120775
X= 3323462.34
Y= 16256519.96
H= 4296.8

120800
X= 3323482.43
Y= 16256534.84
H= 4296.7

120825
X= 3323502.52
Y= 16256549.72
H= 4296.7

120850
X= 3323522.61
Y= 16256564.60
H= 4296.0

120875
X= 3323542.70
Y= 16256579.48
H= 4296.2

120900
X= 3323562.79
Y= 16256594.36
H= 4296.1

120925
X= 3323582.88
Y= 16256609.24
H= 4297.7

120950
X= 3323602.97
Y= 16256624.12
H= 4294.7

120975
X= 3323623.06
Y= 16256639.00
H= 4294.7

121000
X= 3323643.15
Y= 16256653.88
H= 4294.7

121025
X= 3323663.24
Y= 16256668.76
H= 4294.7

121050
X= 3323683.33
Y= 16256683.64
H= 4297.2

121075
X= 3323703.42
Y= 16256698.52
H= 4297.2

121100
X= 3323723.51
Y= 16256713.40
H= 4297.2

121125
X= 3323743.60
Y= 16256728.28
H= 4297.7

121150
X= 3323763.69
Y= 16256743.16
H= 4297.7

121175
X= 3323783.78
Y= 16256758.04
H= 4297.0

121200
X= 3323803.87
Y= 16256772.92
H= 4297.7

121225
X= 3323823.96
Y= 16256787.80
H= 4297.7

121250
X= 3323844.05
Y= 16256802.68
H= 4297.0

121275
X= 3323864.14
Y= 16256817.56
H= 4297.0

121300
X= 3323884.23
Y= 16256832.44
H= 4294.4

121325
X= 3323904.32
Y= 16256847.32
H= 4294.4

121350
X= 3323924.41
Y= 16256862.20
H= 4294.1

121375
X= 3323944.50
Y= 16256877.08
H= 4297.7

121400
X= 3323964.59
Y= 16256891.96
H= 4297.7

装
订
线

820

830

850

840

74

121425
X= 3323984.68
Y= 16256906.84
H= 4294.0

121450
X= 3324004.77
Y= 16256921.72
H= 4294.3

121475
X= 3324024.86
Y= 16256936.60
H= 4294.0

121500
X= 3324044.95
Y= 16256951.48
H= 4294.3

121525
X= 3324065.04
Y= 16256966.36
H= 4294.9

121550
X= 3324085.13
Y= 16256981.24
H= 4294.9

121575
X= 3324105.22
Y= 16256996.12
H= 4294.5

121600
X= 3324121.51
Y= 16257015.30
H= 4294.3

121625
X= 3324137.78
Y= 16257034.29
H= 4294.3

121650
X= 3324154.05
Y= 16257053.28
H= 4294.5

121675
X= 3324170.31
Y= 16257072.27
H= 4294.8

121700
X= 3324186.58
Y= 16257091.26
H= 4294.7

121725
X= 3324202.85
Y= 16257110.25
H= 4294.4

121750
X= 3324219.12
Y= 16257129.24
H= 4294.7

121775
X= 3324235.39
Y= 16257148.23
H= 4294.8

121800
X= 3324251.65
Y= 16257167.22
H= 4294.7

121825
X= 3324267.92
Y= 16257186.21
H= 4294.5

121850
X= 3324284.19
Y= 16257205.20
H= 4294.0

121875
X= 3324300.46
Y= 16257224.19
H= 4292.7

121900
X= 3324316.73
Y= 16257243.18
H= 4292.5

121925
X= 3324332.99
Y= 16257262.17
H= 4292.4

121950
X= 3324349.26
Y= 16257281.16
H= 4292.7

121975
X= 3324365.53
Y= 16257300.15
H= 4292.5

122000
X= 3324381.80
Y= 16257319.14
H= 4292.2

122025
X= 3324398.07
Y= 16257338.13
H= 4292.2

122050
X= 3324414.33
Y= 16257357.12
H= 4291.8

122075
X= 3324430.60
Y= 16257376.11
H= 4291.8

122100
X= 3324446.87
Y= 16257395.10
H= 4291.8

122125
X= 3324463.14
Y= 16257414.09
H= 4291.9

122150
X= 3324479.41
Y= 16257433.08
H= 4291.6

122175
X= 3324495.67
Y= 16257452.07
H= 4291.7

122200
X= 3324511.94
Y= 16257471.06
H= 4291.5

122225
X= 3324528.21
Y= 16257490.05
H= 4291.5

122250
X= 3324544.48
Y= 16257509.04
H= 4290.9

122275
X= 3324566.17
Y= 16257521.36
H= 4290.8

122300
X= 3324587.88
Y= 16257533.77
H= 4291.1

122325
X= 3324609.59
Y= 16257546.18
H= 4292.1

122350
X= 3324631.29
Y= 16257558.59
H= 4292.9

122375
X= 3324653.00
Y= 16257571.00
H= 4292.7

122400
X= 3324674.71
Y= 16257583.41
H= 4294.3

122425
X= 3324696.42
Y= 16257595.82
H= 4293.8

122450
X= 3324718.12
Y= 16257608.23
H= 4294.3

122475
X= 3324739.83
Y= 16257620.64
H= 4294.7

122500
X= 3324761.54
Y= 16257633.05
H= 4294.7

122525
X= 3324783.24
Y= 16257645.46
H= 4295.8

122550
X= 3324804.95
Y= 16257657.87
H= 4297.1

122575
X= 3324829.96
Y= 16257657.61
H= 4296.4

122600
X= 3324854.96
Y= 16257657.38
H= 4296.5

860

880

890

900

870

装

订

线

20
21

装

订

线

20

21

122625
 X= 3324879.96
 Y= 16257657.15
 H= 4296.7

122650
 X= 3324904.96
 Y= 16257656.92
 H= 4297.0

122675
 X= 3324929.97
 Y= 16257656.69
 H= 4297.2

122700
 X= 3324954.97
 Y= 16257656.46
 H= 4297.4

122725
 X= 3324979.97
 Y= 16257656.23
 H= 4297.6

122750
 X= 3325004.97
 Y= 16257656.00
 H= 4297.7

122775
 X= 3325029.97
 Y= 16257655.77
 H= 4297.6

122800
 X= 3325054.98
 Y= 16257655.54
 H= 4297.8

122825
 X= 3325079.98
 Y= 16257655.31
 H= 4297.8

122850
 X= 3325104.98
 Y= 16257655.08
 H= 4298.0

122875
 X= 3325129.98
 Y= 16257654.85
 H= 4298.0

122900
 X= 3325154.98
 Y= 16257654.62
 H= 4298.2

122925
 X= 3325179.99
 Y= 16257654.39
 H= 4298.3

122950
 X= 3325204.18
 Y= 16257660.61
 H= 4298.1

122975
 X= 3325228.38
 Y= 16257666.90
 H= 4298.4

123000
 X= 3325252.58
 Y= 16257673.19
 H= 4298.3

123025
 X= 3325276.78
 Y= 16257679.48
 H= 4298.5

123050
 X= 3325300.98
 Y= 16257685.77
 H= 4298.7

123075
 X= 3325325.17
 Y= 16257692.06
 H= 4298.2

123100
 X= 3325349.37
 Y= 16257698.35
 H= 4298.4

123125
 X= 3325373.57
 Y= 16257704.64
 H= 4298.6

123150
 X= 3325397.77
 Y= 16257710.93
 H= 4298.5

123175
 X= 3325421.97
 Y= 16257717.22
 H= 4298.8

123200
 X= 3325446.16
 Y= 16257723.51
 H= 4299.0

123225
 X= 3325470.36
 Y= 16257729.80
 H= 4299.5

123250
 X= 3325494.56
 Y= 16257736.09
 H= 4299.4

123275
 X= 3325518.76
 Y= 16257742.38
 H= 4299.6

123300
 X= 3325543.55
 Y= 16257748.70
 H= 4299.7

123325
 X= 3325568.34
 Y= 16257755.08
 H= 4299.9

123350
 X= 3325593.12
 Y= 16257761.46
 H= 4299.7

123375
 X= 3325617.91
 Y= 16257767.84
 H= 4299.7

123400
 X= 3325642.70
 Y= 16257774.22
 H= 4299.7

123425
 X= 3325667.48
 Y= 16257780.60
 H= 4299.5

123450
 X= 3325692.27
 Y= 16257786.98
 H= 4299.4

123475
 X= 3325717.06
 Y= 16257793.36
 H= 4299.5

123500
 X= 3325741.84
 Y= 16257799.74
 H= 4299.8

123525
 X= 3325766.63
 Y= 16257806.12
 H= 4300.1

123550
 X= 3325791.42
 Y= 16257812.50
 H= 4298.3

123575
 X= 3325816.21
 Y= 16257818.88
 H= 4298.5

123600
 X= 3325840.99
 Y= 16257825.26
 H= 4299.9

123625
 X= 3325865.78
 Y= 16257831.64
 H= 4294.4

123650
 X= 3325890.57
 Y= 16257838.02
 H= 4297.6

123675
 X= 3325915.35
 Y= 16257844.40
 H= 4297.4

123700
 X= 3325940.14
 Y= 16257850.78
 H= 4297.2

123725
 X= 3325964.93
 Y= 16257857.16
 H= 4297.4

123750
 X= 3325989.71
 Y= 16257863.54
 H= 4292.3

123775
 X= 3326014.50
 Y= 16257869.92
 H= 4292.0

123800
 X= 3326039.29
 Y= 16257876.30
 H= 4291.7

940

930

950

920

装

订

线

装

订

线



76

123825
X= 3326051.31
Y= 16257851.85
H= 4291.3

123850
X= 3326072.91
Y= 16257864.45
H= 4291.0

123875
X= 3326094.51
Y= 16257877.05
H= 4290.8

123900
X= 3326116.10
Y= 16257889.65
H= 4290.5

123925
X= 3326137.70
Y= 16257902.25
H= 4290.2

123950
X= 3326159.29
Y= 16257914.85
H= 4290.0

123975
X= 3326180.89
Y= 16257927.45
H= 4289.8

124000
X= 3326204.47
Y= 16257935.78
H= 4289.6

124025
X= 3326228.04
Y= 16257944.12
H= 4289.5

124050
X= 3326251.61
Y= 16257952.46
H= 4289.7

124075
X= 3326275.18
Y= 16257960.80
H= 4290.0

124100
X= 3326298.75
Y= 16257969.14
H= 4289.9

124125
X= 3326322.33
Y= 16257977.48
H= 4290.1

124150
X= 3326345.90
Y= 16257985.82
H= 4290.1

124175
X= 3326369.47
Y= 16257994.16
H= 4290.2

124200
X= 3326393.04
Y= 16258002.50
H= 4290.2

124225
X= 3326416.61
Y= 16258010.84
H= 4290.4

124250
X= 3326440.19
Y= 16258019.18
H= 4290.8

124275
X= 3326463.76
Y= 16258027.52
H= 4290.9

124300
X= 3326487.33
Y= 16258035.86
H= 4291.0

124325
X= 3326510.90
Y= 16258044.20
H= 4291.0

124350
X= 3326534.47
Y= 16258052.54
H= 4291.1

124375
X= 3326558.05
Y= 16258060.88
H= 4290.8

124400
X= 3326581.62
Y= 16258069.22
H= 4290.9

124425
X= 3326605.19
Y= 16258077.56
H= 4289.5

124450
X= 3326628.76
Y= 16258085.90
H= 4288.5

124475
X= 3326652.33
Y= 16258094.24
H= 4287.5

124500
X= 3326675.91
Y= 16258102.58
H= 4287.1

124525
X= 3326699.48
Y= 16258110.92
H= 4286.9

124550
X= 3326723.05
Y= 16258119.26
H= 4287.0

124575
X= 3326746.62
Y= 16258127.60
H= 4286.8

124600
X= 3326770.19
Y= 16258135.94
H= 4286.7

124625
X= 3326793.77
Y= 16258144.28
H= 4286.4

124650
X= 3326812.05
Y= 16258161.26
H= 4285.8

124675
X= 3326830.32
Y= 16258178.33
H= 4285.7

124700
X= 3326848.59
Y= 16258195.40
H= 4286.4

124725
X= 3326866.86
Y= 16258212.47
H= 4286.6

124750
X= 3326885.14
Y= 16258229.54
H= 4286.7

124775
X= 3326903.41
Y= 16258246.61
H= 4286.8

124800
X= 3326921.68
Y= 16258263.68
H= 4287.0

124825
X= 3326939.95
Y= 16258280.75
H= 4287.5

124850
X= 3326958.22
Y= 16258297.82
H= 4287.6

124875
X= 3326976.50
Y= 16258314.89
H= 4287.7

124900
X= 3326994.77
Y= 16258331.96
H= 4287.8

124925
X= 3327013.04
Y= 16258349.03
H= 4288.2

124950
X= 3327031.31
Y= 16258366.10
H= 4288.5

124975
X= 3327049.58
Y= 16258383.17
H= 4288.6

125000
X= 3327067.86
Y= 16258400.24
H= 4288.8

22.23

970

990

960

980

1000

装

装

订

订

线

线

22. 23

125025
X= 3327086.13
Y= 16258417.31
H= 4289.0

125050
X= 3327104.40
Y= 16258434.38
H= 4289.0

125075
X= 3327122.67
Y= 16258451.45
H= 4289.1

125100
X= 3327140.94
Y= 16258468.52
H= 4289.6

125125
X= 3327159.22
Y= 16258485.59
H= 4289.6

125150
X= 3327177.49
Y= 16258502.66
H= 4289.4

125175
X= 3327195.76
Y= 16258519.73
H= 4289.5

125200
X= 3327214.03
Y= 16258536.80
H= 4289.5

125225
X= 3327232.30
Y= 16258553.87
H= 4289.5

125250
X= 3327250.58
Y= 16258570.94
H= 4289.7

125275
X= 3327268.85
Y= 16258588.01
H= 4289.7

125300
X= 3327287.12
Y= 16258605.08
H= 4289.7

125325
X= 3327305.39
Y= 16258622.15
H= 4289.6

125350
X= 3327323.66
Y= 16258639.22
H= 4289.8

125375
X= 3327341.94
Y= 16258656.29
H= 4290.0

125400
X= 3327360.21
Y= 16258673.36
H= 4290.4

125425
X= 3327378.48
Y= 16258690.43
H= 4290.6

125450
X= 3327396.75
Y= 16258707.50
H= 4290.5

125475
X= 3327415.02
Y= 16258724.57
H= 4290.4

125500
X= 3327433.30
Y= 16258741.64
H= 4290.6

125525
X= 3327451.57
Y= 16258758.71
H= 4290.4

125550
X= 3327469.84
Y= 16258775.78
H= 4291.1

125575
X= 3327488.11
Y= 16258792.85
H= 4291.3

125600
X= 3327506.38
Y= 16258809.92
H= 4291.5

125625
X= 3327524.66
Y= 16258826.99
H= 4291.4

125650
X= 3327542.93
Y= 16258844.06
H= 4291.7

125675
X= 3327561.20
Y= 16258861.13
H= 4292.0

125700
X= 3327585.50
Y= 16258878.20
H= 4291.0

125725
X= 3327609.81
Y= 16258895.27
H= 4290.7

125750
X= 3327634.12
Y= 16258912.34
H= 4290.6

125775
X= 3327658.44
Y= 16258929.41
H= 4290.5

125800
X= 3327682.75
Y= 16258946.48
H= 4290.4

125825
X= 3327707.06
Y= 16258963.55
H= 4290.5

125850
X= 3327731.37
Y= 16258980.62
H= 4288.7

125875
X= 3327755.68
Y= 16258997.69
H= 4288.7

125900
X= 3327780.00
Y= 16259014.76
H= 4290.1

125925
X= 3327795.67
Y= 16259031.83
H= 4289.5

125950
X= 3327811.34
Y= 16259048.90
H= 4289.7

125975
X= 3327827.01
Y= 16259065.97
H= 4288.6

126000
X= 3327842.67
Y= 16259083.04
H= 4290.3

126025
X= 3327858.34
Y= 16259100.11
H= 4290.6

126050
X= 3327874.01
Y= 16259117.18
H= 4291.0

126075
X= 3327889.68
Y= 16259134.25
H= 4291.3

126100
X= 3327905.35
Y= 16259151.32
H= 4291.8

126125
X= 3327921.02
Y= 16259168.39
H= 4292.1

126150
X= 3327936.69
Y= 16259185.46
H= 4292.3

126175
X= 3327952.36
Y= 16259202.53
H= 4292.5

126200
X= 3327968.03
Y= 16259219.60
H= 4292.8

装
订
线

1010

1020

1040

1030

73

98

1050

1060

126225
X= 3327983.70
Y= 16259166.77
H= 4297.0

126250
X= 3327999.36
Y= 16259186.25
H= 4297.4

126275
X= 3328015.03
Y= 16259205.73
H= 4297.7

126300
X= 3328030.70
Y= 16259225.21
H= 4297.0

126325
X= 3328046.37
Y= 16259244.69
H= 4297.2

126350
X= 3328070.87
Y= 16259249.74
H= 4297.4

126375
X= 3328095.37
Y= 16259254.73
H= 4297.4

126400
X= 3328119.87
Y= 16259259.72
H= 4297.9

126425
X= 3328144.37
Y= 16259264.71
H= 4297.2

126450
X= 3328168.88
Y= 16259269.70
H= 4297.8

126475
X= 3328193.38
Y= 16259274.69
H= 4297.0

126500
X= 3328217.88
Y= 16259279.68
H= 4297.1

126525
X= 3328242.38
Y= 16259284.67
H= 4297.1

126550
X= 3328266.88
Y= 16259289.66
H= 4297.4

126575
X= 3328291.38
Y= 16259294.65
H= 4297.3

126600
X= 3328315.88
Y= 16259299.64
H= 4297.3

126025
X= 3328340.38
Y= 16259304.63
H= 4297.2

126650
X= 3328364.88
Y= 16259309.62
H= 4297.3

126675
X= 3328389.38
Y= 16259314.61
H= 4297.4

126700
X= 3328413.89
Y= 16259319.60
H= 4297.3

126725
X= 3328438.39
Y= 16259324.59
H= 4297.3

126750
X= 3328462.89
Y= 16259329.58
H= 4297.3

126775
X= 3328487.39
Y= 16259334.57
H= 4297.2

126800
X= 3328511.89
Y= 16259339.56
H= 4297.2

126825
X= 3328536.39
Y= 16259344.55
H= 4297.3

126850
X= 3328560.89
Y= 16259349.54
H= 4297.4

126875
X= 3328585.39
Y= 16259354.53
H= 4297.3

126900
X= 3328609.89
Y= 16259359.52
H= 4297.3

126925
X= 3328634.39
Y= 16259364.51
H= 4297.2

126950
X= 3328658.90
Y= 16259369.50
H= 4297.2

126975
X= 3328683.40
Y= 16259374.49
H= 4297.0

127000
X= 3328707.90
Y= 16259379.48
H= 4297.2

127025
X= 3328732.40
Y= 16259384.47
H= 4297.6

127050
X= 3328756.90
Y= 16259389.46
H= 4297.0

127075
X= 3328781.40
Y= 16259394.45
H= 4297.6

127100
X= 3328805.90
Y= 16259399.44
H= 4297.4

127125
X= 3328830.40
Y= 16259404.43
H= 4297.6

127150
X= 3328854.90
Y= 16259409.42
H= 4297.6

127175
X= 3328879.40
Y= 16259414.41
H= 4297.6

127200
X= 3328903.91
Y= 16259419.40
H= 4297.6

127225
X= 3328928.41
Y= 16259424.39
H= 4297.3

127250
X= 3328952.91
Y= 16259429.38
H= 4297.5

127275
X= 3328977.41
Y= 16259434.37
H= 4297.5

127300
X= 3329001.91
Y= 16259439.36
H= 4297.5

127325
X= 3329026.90
Y= 16259439.90
H= 4297.6

127350
X= 3329051.89
Y= 16259440.56
H= 4297.0

127375
X= 3329076.88
Y= 16259441.22
H= 4297.0

127400
X= 3329101.88
Y= 16259441.88
H= 4297.2

24.25

装

装

订

订

线

线

24

24.25

127425
X= 3329126.87
Y= 16259442.54
H= 4291°

127450
X= 3329151.87
Y= 16259443.20
H= 4290.9

127475
X= 3329176.86
Y= 16259443.86
H= 4290.8

127500
X= 3329201.85
Y= 16259444.52
H= 4290.7

127525
X= 3329226.85
Y= 16259445.18
H= 4290.5

127550
X= 3329251.84
Y= 16259445.84
H= 4290.4

127575
X= 3329276.84
Y= 16259446.50
H= 4290.3

127600
X= 3329301.83
Y= 16259447.16
H= 4290.2

127625
X= 3329326.82
Y= 16259447.82
H= 4289.7

127650
X= 3329351.82
Y= 16259448.48
H= 4289.6

127675
X= 3329376.81
Y= 16259449.14
H= 4289.5

127700
X= 3329401.81
Y= 16259449.80
H= 4289.4

127725
X= 3329426.80
Y= 16259450.46
H= 4289.3

127750
X= 3329451.20
Y= 16259455.95
H= 4289.2

127775
X= 3329475.60
Y= 16259461.43
H= 4289.1

127800
X= 3329499.99
Y= 16259466.91
H= 4289.0

127825
X= 3329524.39
Y= 16259472.39
H= 4288.6

127850
X= 3329548.79
Y= 16259477.87
H= 4288.2

127875
X= 3329573.18
Y= 16259483.35
H= 4288.0

127900
X= 3329597.58
Y= 16259488.83
H= 4288.1

127925
X= 3329621.97
Y= 16259494.31
H= 4288.0

127950
X= 3329646.37
Y= 16259499.79
H= 4287.9

127975
X= 3329670.77
Y= 16259505.27
H= 4288.0

128000
X= 3329695.16
Y= 16259510.75
H= 4287.8

128025
X= 3329719.56
Y= 16259516.23
H= 4287.7

128050
X= 3329743.95
Y= 16259521.71
H= 4287.8

128075
X= 3329768.35
Y= 16259527.19
H= 4287.4

128100
X= 3329792.75
Y= 16259532.67
H= 4287.5

128125
X= 3329817.14
Y= 16259538.15
H= 4287.4

128150
X= 3329841.54
Y= 16259543.63
H= 4287.3

128175
X= 3329865.93
Y= 16259549.11
H= 4287.1

128200
X= 3329890.33
Y= 16259554.59
H= 4287.2

128225
X= 3329914.73
Y= 16259560.07
H= 4286.8

128250
X= 3329939.12
Y= 16259565.55
H= 4286.8

128275
X= 3329963.52
Y= 16259571.03
H= 4286.9

128300
X= 3329987.91
Y= 16259576.51
H= 4286.5

128325
X= 3330012.31
Y= 16259581.99
H= 4286.4

128350
X= 3330036.71
Y= 16259587.47
H= 4286.3

128375
X= 3330061.10
Y= 16259592.95
H= 4286.2

128400
X= 3330085.50
Y= 16259598.43
H= 4286.2

128425
X= 3330109.89
Y= 16259603.91
H= 4285.9

128450
X= 3330134.29
Y= 16259609.39
H= 4285.4

128475
X= 3330158.69
Y= 16259614.87
H= 4285.5

128500
X= 3330183.08
Y= 16259620.35
H= 4285.2

128525
X= 3330207.48
Y= 16259625.83
H= 4285.1

128550
X= 3330231.87
Y= 16259631.31
H= 4285.0

128575
X= 3330256.27
Y= 16259636.79
H= 4285.2

128600
X= 3330280.67
Y= 16259642.27
H= 4284.8

1100

1120

1130

1140

1110

装

装

订

订

线

线

75

80

128625
X= 3330305.06
Y= 16259647.75
H= 4281.2

128650
X= 3330318.85
Y= 16259668.51
H= 4281.0

128675
X= 3330332.65
Y= 16259689.36
H= 4281.3

128700
X= 3330346.44
Y= 16259710.21
H= 4281.8

128725
X= 3330360.24
Y= 16259731.06
H= 4281.8

128750
X= 3330374.04
Y= 16259751.91
H= 4281.5

128775
X= 3330387.83
Y= 16259772.76
H= 4281.4

128800
X= 3330401.63
Y= 16259793.61
H= 4281.3

128825
X= 3330415.42
Y= 16259814.46
H= 4281.3

128850
X= 3330429.22
Y= 16259835.31
H= 4281.1

128875
X= 3330443.02
Y= 16259856.16
H= 4281.1

128900
X= 3330456.81
Y= 16259877.01
H= 4281.9

128925
X= 3330470.61
Y= 16259897.86
H= 4281.9

128950
X= 3330484.40
Y= 16259918.71
H= 4282.6

128975
X= 3330498.20
Y= 16259939.56
H= 4282.4

129000
X= 3330512.00
Y= 16259960.41
H= 4282.4

129025
X= 3330525.79
Y= 16259981.26
H= 4282.5

129050
X= 3330539.59
Y= 16260002.11
H= 4282.1

129075
X= 3330553.38
Y= 16260022.96
H= 4281.9

129100
X= 3330567.18
Y= 16260043.81
H= 4281.8

129125
X= 3330580.98
Y= 16260064.66
H= 4282.0

129150
X= 3330594.77
Y= 16260085.51
H= 4281.8

129175
X= 3330608.57
Y= 16260106.36
H= 4281.7

129200
X= 3330622.36
Y= 16260127.21
H= 4281.2

129225
X= 3330636.16
Y= 16260148.06
H= 4281.1

129250
X= 3330649.96
Y= 16260168.91
H= 4281.0

129275
X= 3330663.75
Y= 16260189.76
H= 4280.9

129300
X= 3330677.55
Y= 16260210.61
H= 4280.4

129325
X= 3330691.34
Y= 16260231.46
H= 4279.9

129350
X= 3330705.14
Y= 16260252.31
H= 4280.0

129375
X= 3330718.94
Y= 16260273.16
H= 4280.3

129400
X= 3330732.73
Y= 16260294.01
H= 4280.1

129425
X= 3330746.53
Y= 16260314.86
H= 4280.3

129450
X= 3330760.32
Y= 16260335.71
H= 4279.4

129475
X= 3330774.12
Y= 16260356.56
H= 4279.5

129500
X= 3330787.92
Y= 16260377.41
H= 4279.2

129525
X= 3330801.71
Y= 16260398.26
H= 4279.0

129550
X= 3330815.51
Y= 16260419.11
H= 4278.9

129575
X= 3330829.30
Y= 16260439.96
H= 4278.9

129600
X= 3330843.10
Y= 16260460.87
H= 4279.0

129625
X= 3330867.84
Y= 16260481.72
H= 4279.2

129650
X= 3330892.58
Y= 16260502.57
H= 4280.0

129675
X= 3330917.32
Y= 16260523.42
H= 4280.2

129700
X= 3330942.06
Y= 16260544.27
H= 4280.0

129725
X= 3330966.80
Y= 16260565.12
H= 4280.4

129750
X= 3330991.54
Y= 16260585.97
H= 4281.2

129775
X= 3331016.28
Y= 16260606.82
H= 4281.0

129800
X= 3331041.02
Y= 16260627.67
H= 4281.0

1180

1170

1190

1150

1160

装

订

线

装

订

线

129825
 X= 3331065.76
 Y= 16260428.47
 H= 4280.7

129850
 X= 3331090.50
 Y= 16260424.87
 H= 4279.7

129875
 X= 3331115.24
 Y= 16260421.27
 H= 4279.1

129900
 X= 3331139.98
 Y= 16260417.67
 H= 4278.5

129925
 X= 3331164.72
 Y= 16260414.07
 H= 4277.9

129950
 X= 3331189.46
 Y= 16260410.47
 H= 4277.3

129975
 X= 3331214.20
 Y= 16260406.87
 H= 4277.3

130000
 X= 3331238.94
 Y= 16260403.27
 H= 4277.9

130025
 X= 3331263.68
 Y= 16260399.67
 H= 4280.6

130050
 X= 3331288.68
 Y= 16260399.79
 H= 4281.9

130075
 X= 3331313.68
 Y= 16260399.99
 H= 4279.9

130100
 X= 3331338.68
 Y= 16260400.19
 H= 4280.6

130125
 X= 3331363.68
 Y= 16260400.39
 H= 4281.7

130150
 X= 3331388.68
 Y= 16260400.59
 H= 4281.8

130175
 X= 3331413.68
 Y= 16260400.79
 H= 4282.1

130200
 X= 3331438.68
 Y= 16260400.99
 H= 4283.0

130225
 X= 3331463.68
 Y= 16260401.19
 H= 4283.1

130250
 X= 3331488.68
 Y= 16260401.39
 H= 4283.0

130275
 X= 3331513.68
 Y= 16260401.59
 H= 4283.3

130300
 X= 3331538.68
 Y= 16260401.79
 H= 4284.2

130325
 X= 3331563.68
 Y= 16260401.99
 H= 4284.3

130350
 X= 3331588.68
 Y= 16260402.19
 H= 4284.6

130375
 X= 3331613.68
 Y= 16260402.39
 H= 4284.8

130400
 X= 3331638.68
 Y= 16260402.59
 H= 4285.0

130425
 X= 3331663.68
 Y= 16260402.79
 H= 4285.2

130450
 X= 3331688.68
 Y= 16260402.99
 H= 4285.2

130475
 X= 3331713.68
 Y= 16260403.19
 H= 4285.5

130500
 X= 3331738.68
 Y= 16260403.39
 H= 4285.8

130525
 X= 3331763.68
 Y= 16260403.59
 H= 4286.1

130550
 X= 3331788.68
 Y= 16260403.79
 H= 4286.5

130575
 X= 3331813.68
 Y= 16260403.99
 H= 4287.3

130600
 X= 3331838.68
 Y= 16260404.19
 H= 4287.2

130625
 X= 3331863.68
 Y= 16260404.39
 H= 4287.4

130650
 X= 3331888.68
 Y= 16260404.59
 H= 4287.7

130675
 X= 3331913.68
 Y= 16260404.79
 H= 4287.9

130700
 X= 3331938.68
 Y= 16260404.99
 H= 4288.2

130725
 X= 3331963.68
 Y= 16260405.19
 H= 4288.4

130750
 X= 3331988.50
 Y= 16260402.22
 H= 4288.6

130775
 X= 3332013.32
 Y= 16260399.24
 H= 4288.7

130800
 X= 3332038.14
 Y= 16260396.26
 H= 4289.2

130825
 X= 3332062.97
 Y= 16260393.28
 H= 4289.6

130850
 X= 3332087.79
 Y= 16260390.30
 H= 4289.9

130875
 X= 3332112.61
 Y= 16260387.32
 H= 4290.1

130900
 X= 3332137.43
 Y= 16260384.34
 H= 4290.6

130925
 X= 3332162.25
 Y= 16260381.36
 H= 4290.9

130950
 X= 3332187.08
 Y= 16260378.38
 H= 4291.2

130975
 X= 3332211.90
 Y= 16260375.40
 H= 4291.7

131000
 X= 3332236.72
 Y= 16260372.42
 H= 4292.2

1210

1230

1200

1270

1240

装

订

线

装

订

线

27

82

131025
X= 3332261.54
Y= 16260369.44
H= 4292.5

131050
X= 3332286.36
Y= 16260366.46
H= 4292.6

131075
X= 3332311.19
Y= 16260363.48
H= 4293.1

131100
X= 3332336.01
Y= 16260360.50
H= 4293.1

131125
X= 3332360.83
Y= 16260357.52
H= 4292.9

131150
X= 3332385.65
Y= 16260354.54
H= 4293.4

131175
X= 3332410.47
Y= 16260351.56
H= 4293.4

131200
X= 3332435.30
Y= 16260348.58
H= 4293.7

131225
X= 3332460.12
Y= 16260345.60
H= 4294.4

131250
X= 3332484.94
Y= 16260342.62
H= 4294.9

131275
X= 3332509.76
Y= 16260339.64
H= 4295.4

131300
X= 3332534.58
Y= 16260336.66
H= 4296.0

131325
X= 3332559.41
Y= 16260333.68
H= 4296.0

131350
X= 3332584.23
Y= 16260330.70
H= 4296.4

131375
X= 3332609.05
Y= 16260327.72
H= 4297.0

131400
X= 3332633.87
Y= 16260324.74
H= 4297.0

131425
X= 3332658.69
Y= 16260321.76
H= 4297.4

131450
X= 3332683.52
Y= 16260318.78
H= 4297.9

131475
X= 3332708.34
Y= 16260315.80
H= 4298.1

131500
X= 3332733.16
Y= 16260312.82
H= 4298.2

131525
X= 3332757.98
Y= 16260309.84
H= 4298.8

131550
X= 3332782.80
Y= 16260306.86
H= 4299.2

131575
X= 3332807.63
Y= 16260303.88
H= 4299.6

131600
X= 3332832.45
Y= 16260300.90
H= 4299.9

131625
X= 3332857.27
Y= 16260297.92
H= 4300.6

131650
X= 3332882.09
Y= 16260294.94
H= 4301.0

131675
X= 3332906.91
Y= 16260291.96
H= 4301.5

131700
X= 3332931.74
Y= 16260288.98
H= 4301.7

1260

1250

1268

计算

第 页

28

装

订

线

1268
31700
170

Source offsets from
LINE (m)

(LINE 7)

| OB-a | Source StaNum | Chan 1 StaNum | Chan 240 StaNum | Shot Hole(s) | Shot Time | CC | Mgmt | # Bad | CC | Archival Files | Scanned Amplitudes | Wind | Noise? OB notes? | Reflections? | | | | | | | | | | |
|--------|---------------|---------------|-----------------|--------------|-----------|--------|---------|-------|-----|----------------|--------------------|------|------------------|--------------|-----------|-----------|--------|---------|----------|-------|--------|----------------------|----------------|--|
| Tape # | FFID | Acq | Acq | Acq | Uphole | Charge | Num X m | Watch | GPS | Pass 1 | OK | Chan | Pass 2 | ProMAX | Disk SEGY | Tape SEGY | MaxAmp | Ambient | Shot S/N | Speed | Direct | X-T/Veh/Dril/Air/Wnd | MHT/Moho/Other | |
| 3 | 13 | | WIND | | | | 73 | | | | | | | | | | | | | | | | | |
| | 14 | | 370 | | | | 73 | | | | | | | | | | | | | | | | | |
| | 15 | E 5 | 328 | | | | 81 | | | | | | | | | | | | | | | | | |
| | 16 | E 5 | 336 | | | | 82 | | | | | | | | | | | | | | | | | |
| | 17 | | 344 | | | | 97 | | | | | | | | | | | | | | | | | |
| | 18 | | 352 | | | | 105 | | | | | | | | | | | | | | | | | |
| | 19 | E 25 | 360 | | | | 113 | | | | | | | | | | | | | | | | | |
| | 20 | E 10 | 368 | | | | 121 | | | | | | | | | | | | | | | | | |
| | 21 | W 15 | 376 | | | | 129 | | | | | | | | | | | | | | | | | |
| | 22 | | 384 | | | | 137 | | | | | | | | | | | | | | | | | |
| | 23 | W 10 | 392 | | | | 145 | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 24 | E 5 | 408 | | | | 161 | | | | | | | | | | | | | | | | | |
| | 25 | E 3 | 416 | | | | 169 | | | | | | | | | | | | | | | | | |
| | 26 | W 25 | 424 | | | | 177 | | | | | | | | | | | | | | | | | |
| | 27 | | WIND | | | | 129 | | | | | | | | | | | | | | | | | |

LISTED ON CHINESE OBS SHEET; NOT ON TAPE; NOT RECORDED BY WAVE 3 B/C NOT WIRING PULSED
TRUCK ON LINE IDLING AT EAR OFFSETS

SPIKE AT 43s ACROSS CHANNELS 240 TO 20 (FILE COUNTED NS OK)

Total kg = 600
12 @ 50 kg

(LINE 7)

SOURCES OFFSET FROM LINE (m)

| OB-a | Source StaNum | Chan 1 StaNum | Chan 240 StaNum | Shot Hole(s) | Shot Time | CC | Mgmt | # Bad | CC | Archival Files | Scanned Amplitudes | Wind | Noise? OB notes? | Reflections? | | | | | | | | | | | | | |
|--------|---------------|---------------|-----------------|--------------|-----------|-----|------|--------|--------|----------------|--------------------|------|------------------|--------------|------|--------|--------|-----------|-----------|--------|---------|----------|-------|--------|---------------------|----------------|--|
| Tape # | FFID | Acq | Proc | Acq | Proc | Acq | Proc | Uphole | Charge | Num X m | Watch | GPS | Pass 1 | CK | Chan | Pass 2 | ProMAX | Disk SEGY | Tape SEGY | MaxAmp | Ambient | Shot S/N | Speed | Direct | X-T/Veh/Dri/Air/Wnd | MHT/Moho/Other | |
| 5 | 28 | | WIND | | 129 | | 368 | | WIND | | | | | | | | | | | | | | | | | | |
| | 29 | W20 | 488 | | 129 | | 368 | 10.8 | 200 | 28, 35, 30, 30 | 8:51:41 | | | | | | | | | | | | | | | | |
| | 30 | W10 | 432 | | 185 | | 429 | 11.1 | 50 | 28 | 10:28:58 | | | | | | | | | | | | | | | | |
| | 31 | W15 | 440 | | 193 | | 432 | 10.1 | 50 | 25 | 10:42:39 | | | | | | | | | | | | | | | | |
| | 32 | | 448 | | 201 | | 440 | | 50 | | | | | | | | | | | | | | | | | | |
| | 33 | E15 | 456 | | 207 | | 448 | 14.0 | 50 | 33 | 11:01:42 | | | | | | | | | | | | | | | | |
| | 34 | W50 | 469 | | 217 | | 456 | | 50 | 17, 16 | 11:11:20 | | | | | | | | | | | | | | | | |
| | 35 | | 472 | | 225 | | 469 | | 50 | 38 | | | | | | | | | | | | | | | | | |
| | 36 | | 480 | | 233 | | 472 | 12.6 | 50 | 30 | 11:36:16 | | | | | | | | | | | | | | | | |
| | 37 | E5 | 486 | | 249 | | 488 | 2.8 | 50 | 2A | 12:06:08 | | | | | | | | | | | | | | | | |
| | 38 | | 50A | | 257 | | 496 | 6.1 | 50 | 27 | 12:14:18 | | | | | | | | | | | | | | | | |
| | 39 | | 62A | | 265 | | 50A | 16.6 | 200 | 30, 30, 29, 29 | 12:19:52 | | | | | | | | | | | | | | | | |
| 6 | 40 | | 512 | | 265 | | 50A | 16.6 | 50 | 2A | 12:26:50 | | | | | | | | | | | | | | | | |
| | 41 | W10 | 520 | | 273 | | 512 | 11.1 | 50 | 25 | 13:39:35 | | | | | | | | | | | | | | | | |
| | 42 | E10 | 528 | | 281 | | 520 | 20.6 | 50 | 25 | 13:52:03 | | | | | | | | | | | | | | | | |
| | 43 | W5 | 536 | | 287 | | 528 | 32.3 | 50 | 40 | 13:45:40 | | | | | | | | | | | | | | | | |
| | 44 | | 542 | | 299 | | 538 | 29.9 | 50 | 25 | 13:51:52 | | | | | | | | | | | | | | | | |
| | 45 | | WIND | | 305 | | 544 | | WIND | | | | | | | | | | | | | | | | | | |

Total kg = 2200 kg
 22 @ 50 kg
 Total kg = 900 kg
 18 @ 50 kg
 BAD SHOT
 1 @ 50 kg

(LINE 7)

SOURCE OFFSET FROM LINE (m)

| OB-a | Source StaNum | Chan 1 StaNum | Chan 240 StaNum | Shot Hole(s) | Shot Time | CC | Mgmt | # Bad | CC | Archival Files | Scanned Amplitudes | Wind | Noise? OB notes? | Reflections? | | | | | | | | | | | | |
|--------|---------------|---------------|-----------------|--------------|-----------|-----|------|--------|--------|----------------|--------------------|----------|------------------|--------------|------|--------|--------|-----------|-----------|--------|---------|----------|-------|--------|---------------------|----------------|
| Tape # | FFID | Acq | Proc | Acq | Proc | Acq | Proc | Uphole | Charge | Num X m | Watch | GPS | Pass 1 | OK | Chan | Pass 2 | ProMAX | Disk SEGY | Tape SEGY | MaxAmp | Ambient | Shot S/N | Speed | Direct | X-T/Veh/Dir/Air/Wnd | MHT/Moho/Other |
| 7 | 46 | | WIND | | | | | | | | | | | | | | | | | | | | | | | |
| | 47 | | 552 | | | | | | | | | | | | | | | | | | | | | | | |
| | 48 | | 560 | | | | | | | | | | | | | | | | | | | | | | | |
| | 49 | W 10 | 572 | | | | | 18.6 | 50 | 18+19 | | 8:43:17 | | | | | | | | | | | | | | |
| | 50 | W 10 | 576 | | | | | 6.7 | 50 | 28 | | 8:49:14 | | | | | | | | | | | | | | |
| | 51 | W 50 | 584 | | | | | 6.1 | 50 | 47 | | 9:00:14 | | | | | | | | | | | | | | |
| | 52 | W 30 | 592 | | | | | 6.1 | 50 | 17+18 | | 9:21:14 | | | | | | | | | | | | | | |
| | 53 | | 600 | | | | | 26.4 | 50 | 28 | | 9:36:41 | | | | | | | | | | | | | | |
| | 54 | | 612 | | | | | 10.3 | 50 | 18+19 | | 9:58:28 | | | | | | | | | | | | | | |
| | 55 | | 616 | | | | | 13.2 | 50 | 32 | | 10:01:00 | | | | | | | | | | | | | | |
| | 56 | | 632 | | | | | 10.7 | 50 | 27 | | 10:48:47 | | | | | | | | | | | | | | |
| | 57 | ES | 644 | | | | | 18.4 | 50 | 27 | | 11:06:37 | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8 | 58 | E 25 | 760 | | | | | 11.7 | 200 | 27,28,29,30 | | 11:16:16 | | | | | | | | | | | | | | |
| | 59 | W 15 | 648 | | | | | 11.9 | 50 | 29 | | 11:26:14 | | | | | | | | | | | | | | |
| | 60 | | 656 | | | | | 21.1 | 50 | 28 | | 11:26:42 | | | | | | | | | | | | | | |
| | 61 | E 10 | 664 | | | | | 18.7 | 50 | 25 | | 11:42:40 | | | | | | | | | | | | | | |
| | 62 | E 5 | 672 | | | | | 14.1 | 50 | 28 | | 11:51:20 | | | | | | | | | | | | | | |
| | 63 | W 50 | 680 | | | | | 16.0 | 50 | 25 | | 12:00:36 | | | | | | | | | | | | | | |
| | 64 | E 5 | 688 | | | | | 18.2 | 50 | 22 | | 12:08:41 | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9 | 65 | | 626 | | | | | 13.0 | 50 | 25 | | 12:55:54 | | | | | | | | | | | | | | |
| | 66 | E 5 | 704 | | | | | 17.3 | 50 | 27 | | 13:05:11 | | | | | | | | | | | | | | |
| | 67 | E 30 | 712 | | | | | 14.7 | 50 | 25 | | 13:14:49 | | | | | | | | | | | | | | |
| | 68 | | 720 | | | | | 14.4 | 50 | 25 | | 13:21:56 | | | | | | | | | | | | | | |
| | 69 | W 5 | 728 | | | | | 7.4 | 50 | 25 | | 13:28:25 | | | | | | | | | | | | | | |
| | 70 | | 736 | | | | | 17.4 | 50 | 25 | | 13:35:27 | | | | | | | | | | | | | | |
| | 71 | E 15 | 744 | | | | | 14.2 | 50 | 28 | | 13:40:40 | | | | | | | | | | | | | | |
| | 72 | | 848 | | | | | 15.4 | 200 | 3, 27, 30 | | 13:51:17 | | | | | | | | | | | | | | |
| | 73 | | 756 | | | | | 14.4 | 50 | 29 | | 13:57:54 | | | | | | | | | | | | | | |
| | 74 | | WIND | | | | | | | | | | | | | | | | | | | | | | | |

TOTAL kg = 1550
= 31 @ 50 kg

(LINE 7)

SOURCE OFFSET FROM LINE (m)

| OB-a | | Source StaNum | | Chan 1 StaNum | | Chan 240 StaNum | | Shot Hole(s) | | Shot Time | | QC | Mgmt | # Bad | QC | Archival Files | | | Scanned Amplitudes | | | Wind | | Noise? OB notes? | Reflections? | |
|--------|------|---------------|------|---------------|------|-----------------|------|--------------|--------|----------------|-------|----------|--------|-------|------|----------------|--------|-----------|--------------------|--------|---------|----------|-------|------------------|---------------------|----------------|
| Tape # | FFID | Acq | Proc | Acq | Proc | Acq | Proc | Uphole | Charge | Num X m | Watch | GPS | Pass 1 | CK | Chan | Pass 2 | ProMAX | Disk SEGY | Tape SEGY | MaxAmp | Ambient | Shot S/N | Speed | Direct | X-T/Veh/Dri/Air/Wnd | MHT/Moho/Other |
| 10 | 75 | | WIND | | 521 | | 760 | | WIND | | | | | | | | | | | | | | | | | |
| | 76 | E 5 | 768 | | 521 | | 760 | 13.0 | 50 | 26 | | 8:09:15 | | | | | | | | | | | | | | |
| | 77 | E 10 | 776 | | 529 | | 768 | 18.2 | 50 | 27 | | 8:11:29 | | | | | | | | | | | | | | |
| | 78 | | 784 | | 537 | | 776 | 14.7 | 50 | 29 | | 8:25:50 | | | | | | | | | | | | | | |
| | 79 | | 792 | | 545 | | 784 | 14.8 | 50 | 30 | | 8:31:12 | | | | | | | | | | | | | | |
| | 80 | | 800 | | 553 | | 792 | - | 50 | 28 | | 8:37:46 | | | | | | | | | | | | | | |
| | 81 | | 808 | | 561 | | 800 | - | 50 | 27 | | 8:43:57 | | | | | | | | | | | | | | |
| | 82 | | 816 | | 569 | | 808 | 14.3 | 50 | 27 | | 8:58:05 | | | | | | | | | | | | | | |
| | 83 | | 824 | | 577 | | 816 | 12.7 | 50 | 27 | | 9:02:38 | | | | | | | | | | | | | | |
| | 84 | E 15 | 832 | | 585 | | 824 | 12.6 | 50 | 27 | | 9:10:19 | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11 | 85 | | 840 | | 593 | | 832 | 12.6 | 50 | 29 | | 9:16:15 | | | | | | | | | | | | | | |
| | 86 | | 852 | | 593 | | 832 | 20.0 | 200 | 22, 28, 30, 30 | | 9:30:16 | | | | | | | | | | | | | | |
| | 87 | W 20 | 856 | | 602 | | 848 | 14.2 | 50 | 32 | | 9:35:16 | | | | | | | | | | | | | | |
| | 88 | E 10 | 864 | | 617 | | 856 | 13.0 | 50 | 26 | | 9:43:37 | | | | | | | | | | | | | | |
| | 89 | | 868 | | 629 | | 868 | | | 30 | | | | | | | | | | | | | | | | |
| | 90 | E 35 | 877 | | 636 | | 875 | 14.9 | 50 | 25 | | 11:05:25 | | | | | | | | | | | | | | |
| | 91 | | 889 | | 640 | | 879 | 15.2 | 50 | 32 | | 11:25:56 | | | | | | | | | | | | | | |
| | 92 | | 890 | | 655 | | 894 | 15.7 | 50 | 28 | | 11:43:30 | | | | | | | | | | | | | | |
| | 93 | E 10 | 906 | | 655 | | 894 | 10.2 | 50 | 27 | | 11:59:40 | | | | | | | | | | | | | | |
| 12 | 94 | W 35 | 912 | | 665 | | 909 | 15.4 | 50 | 30 | | 13:49:26 | | | | | | | | | | | | | | |
| | 95 | E 30 | 920 | | 673 | | 912 | 10.8 | 50 | 26 | | 13:56:54 | | | | | | | | | | | | | | |
| | 96 | | WIND | | 681 | | 920 | | | | | | | | | | | | | | | | | | | |

TRUCK ON LINE, EAR OFFSETS MOVING TO NEAR, ALL TIMES, CHAN ~ 30

LISTED ON CHINESE OB SHEET, NOT ON TAPE, NOT RECORDED BY WAYE-3

Total kg = 1100
22 @ 50kg

(LINE 7)

SOURCE OFFSET FROM LINE (m)

| OB-a | Tape # | FFID | Source StaNum | | Chan 1 StaNum | | Chan 240 StaNum | | Uphole | Charge | Shot Hole(s) Num X m | Shot Time Watch GPS | QC Pass 1 | Mgmt OK | # Bad Chan | QC Pass 2 | Archival Files | | | Scanned Amplitudes | | | Wind | | Noise? OB notes? X-T/Veh/Dr/Air/Wnd | Reflections? MHT/Moho/Other | | | | | | |
|------|--------|------|---------------|------|---------------|------|-----------------|------|--------|----------|-------------------------|------------------------|--------------|------------|---------------|--------------|----------------|-----------|-----------|--------------------|---------|----------|-------|--------|--|--------------------------------|--|--|--|--|--|--|
| | | | Acq | Proc | Acq | Proc | Acq | Proc | | | | | | | | | ProMAX | Disk SEGY | Tape SEGY | MaxAmp | Ambient | Shot S/N | Speed | Direct | | | | | | | | |
| 13 | 97 | | WIND | | 681 | | 970 | | WIND | | | | | | | | | | | | | | | | | | | | | | | |
| | 98 | W 20 | 928 | | 681 | | 970 | 11.1 | 50 | 30 | 8:51:18 | | | | | | | | | | | | | | | | | | | | | |
| | 99 | | 936 | | 682 | | 979 | | | 27 | | | | | | | | | | | | | | | | | | | | | | |
| | 100 | | 944 | | 627 | | 936 | 15.6 | 50 | 27 | 9:25:23 | | | | | | | | | | | | | | | | | | | | | |
| | 101 | W 5 | 960 | | 713 | | 952 | 20.4 | 50 | 30 | 9:35:48 | | | | | | | | | | | | | | | | | | | | | |
| | 102 | | 970 | | 719 | | 958 | 9.4 | 50 | 27 | 10:14:57 | | | | | | | | | | | | | | | | | | | | | |
| | 103 | | 977 | | 728 | | 967 | 12.7 | 50 | 28 | 10:24:43 | | | | | | | | | | | | | | | | | | | | | |
| | 104 | W 30 | 984 | | 737 | | 976 | 16.7 | 50 | 35 | 10:32:29 | | | | | | | | | | | | | | | | | | | | | |
| | 105 | | 992 | | 745 | | 99A | 16.5 | 50 | 30 | 10:41:18 | | | | | | | | | | | | | | | | | | | | | |
| | 106 | | 1104 | | 745 | | 98A | 22.7 | 200 | 3x28, 35 | 10:46:04 | | | | | | | | | | | | | | | | | | | | | |
| | 107 | W 5 | 1000 | | 753 | | 992 | 11.9 | 50 | 33 | 11:17:18 | | | | | | | | | | | | | | | | | | | | | |
| 14 | 108 | E 30 | 1008 | | 761 | | 1000 | 18.7 | 50 | 35 | 11:25:55 | | | | | | | | | | | | | | | | | | | | | |
| | 109 | E 10 | 1016 | | 769 | | 1028 | 22.1 | 50 | 35 | 11:40:39 | | | | | | | | | | | | | | | | | | | | | |
| | 110 | E 5 | 1024 | | 777 | | 1016 | 16.8 | 50 | 27 | 11:52:51 | | | | | | | | | | | | | | | | | | | | | |
| | 111 | W 25 | 1027 | | 790 | | 1029 | 8.0 | 50 | 27 | 12:08:35 | | | | | | | | | | | | | | | | | | | | | |
| | 112 | E 20 | 1040 | | 793 | | 1032 | 20.4 | 50 | 25 | 12:31:46 | | | | | | | | | | | | | | | | | | | | | |
| | 113 | | WIND | | 799 | | 1038 | | WIND | | | | | | | | | | | | | | | | | | | | | | | |
| 1A | 200 | | 62A | | 801 | | 1040 | 14.9 | 500 | 10 x 40' | 13:44:23 | | | | | | | | | | | | | | | | | | | | | |

SHOT NOT SET OFF B/C WIRES WERE PULLED

BAD SHOT CHANS 35-81; 1-9; WENT OUT/DEND/SOUTH

HUGE SHOT

Total kg: 1350
 BAD kg: 50
 1300
 26 @ 50 kg

